SUBJECT SIGN-POST

A Quick Guide to the Business Articles and Designs Presented in This Issue

BUSINESS MANAGEMENT	Promotion and Sale of Private Garages91 to 9
Editorials	Profits in Floor Finishing102, 10.
Limitation of Labor Output	Planning Apartments to Sell
Tax Campaign Developments54, 55	Contractor-Dealer Team Work Wins82, 8.
Factory-Built Houses	How Big Is the Modernizing Market77, 78
"Allwood," the Outstanding Home Development of 1930	TECHNICAL AND CRAFT PROBLEMS
As the Appraiser Sees It	How to Get Free Advertising 55
Opportunities in Garage Building91 to 95	How "Allwood" Was Planned and Built68, 73
Making Good in the Floor Finishing Business	Specifications for Allwood Homes
102, 103	Appraiser's Check List 80
75 Per Cent Financing for Builders82, 83	House Building Terms Defined
Legal Questions Answered	How to Lay Out a Store Entrance 84
DESIGNS AND PLATES	Planning the Modern Chain Store84, 85 A Lesson in Drafting86 to 90
Homes of Popular Size60, 61, 65, 66,	How to Plan and Build Private Garages91 to 95
67, 70, 71, 86	How to Build Up a Floor Finishing Business
Homes of Larger Size	102, 103
Home Plans, Complete Set	Improved Practice in Frame House Construction
Summer Cottage Designs	96 to 99
Apartment House Design	On the Job with Builders100, 101
Private Garage Designs	Practical Job Pointers104, 105
Greasing and Service Station	DEPARTMENTS
Chain Store Design and Layout84, 85	DEFARIMENTS
Suburban Railway Station	Editorials
Details of Balloon, Western and Braced Framing	Home Designs
97 to 99	"The House of the Month"—Complete Plans
Details of Colonial Interiors	86 to 90
Interior Detail Photographs	Contractors' Equipment
Exterior Detail Photographs57, 58, 59, 62,	Legal Department
63, 70, 71	News of the Industry112 to 118
MERCHANDISING AND ADVERTISING	January Building Figures
Good Showmanship Pays52, 53	The Builder's Library120
Promoting and Selling a City of Homes68 to 75	New Materials and Devices122, 124
Floodlighting Homes for Sale	Masthead Page 5
Advertisements Used in "Allwood" Campaign	Forecast of April Issue 7
74, 75	Index to Advertisers


This Classified Index is Presented for the Convenience of Readers Who Are Seeking Features and Designs of a Particular Sort. An Index by Pages in Regular Order Appears on Page 5.

for vividly colored floors choose Atlas White terrazzo

OWNERS of stores, apartments and business buildings are welcoming suggestions that make their properties colorful, attractive and easy-to-rent. The beauty of Atlas White products helps you to obtain contracts from these owners for both new and remodeling work.

With terrazzo made with Atlas White portland cement, an endless variety of floor designs may be worked out in bright, clear colors and pastel shades. Such floors are durable under severe wear. Their beauty is permanent.

Other products made with Atlas White, such as art marble, stucco and cast stone, are equally striking and colorful. Further information on the uses of both Atlas White and Atlas Waterproofed White will be furnished on request



Socatch Bakery, Chicago. Both the unusual terrazzo floors and colorful art marble front are made with Atlas White portland cement. Holabird & Root, architects; Western Mosaic & Terrazzo Co., terrazzo contractor; art marble furnished by Chicago Art Marble Co.—all of Chicago.

ATLAS WHITE PORTLAND CEMENT

Universal Atlas Cement Co.
Subsidiary of United States Steel Corporation

Concrete for Permanence





AMERICAN BUILDER BUILDING AGE

LIMITATION OF LABOR OUTPUT

THE high cost of building, of which there has been so much complaint since the war, has been principally due to high labor costs. These have been due not only to high and increasing wages, but also to the successful efforts of labor unions to limit the amount of work done by each worker. High wages paid for efficient labor are conducive to prosperity. High wages paid for inefficient labor are a very serious handicap to any industry, and tend to destroy prosperity and to prevent recovery from depression.

A good example of the efforts made by some unenlightened classes of persons to burden industry with excessive costs and prevent prosperity is afforded by the recent introduction in the Texas legislature of a bill ostensibly to regulate the use of spray painting machinery, but actually to prevent its use. Masquerading as a public health measure, this bill, if passed, would compel builders to use hand brush methods and to employ three to ten times as many men as are required to do painting by machine spraying. Spray painting is being used extensively, and experience has not shown that it is any more hazardous to health than other painting methods. In every case of lead poisoning of which there is record the victim was a brush painter and not a spray painter.

Another instance of prejudice blocking progress by limiting output happens also to be afforded by the paint trade. The contract for a group of buildings for a farm estate near Waukegan, Illinois, is right now about to be let. These buildings, of Colonial design, are to be sided with northern white pine and the specifications call for low-moisture content siding, to be primed on both sides with aluminum paint.

The best and cheapest way to meet these specifica-

tions is by spray painting at the mill before the lumber is shipped to the job. Power painting gives deeper penetration of the priming coat. Applied at the mill, as the lumber comes from the dry kilns, no moisture has a chance to enter. A better and more lasting job is produced and the cost, as compared with brush painting on the job, is very much less.

Union rules in Lake County, Illinois, however, prevent this modern efficiency; they stand in the way of this added quality and this cost saving. According to the union rule, this siding must be delivered without protection and be laboriously hand painted on the job.

Loss of Confidence Killing Demand

Every concern and individual interested in the revival of building in this country should exert all the influence possible against efforts of this and every other kind to limit the output of building labor. The building industry is in competition with other large industries for the favor of the public and the money it has to spend. As has been previously pointed out in these columns, the principal competitor of the home-building industry is the automobile industry. Every family must have a home of some kind, and every family wants one or more automobiles. The manufacturers of automobiles have been able to make such reductions in the prices of cars as they have because they have been so successful in reducing their labor costs by increasing their output per employee through the introduction of labor saving machinery and devices. As they have reduced their costs and prices they have constantly enlarged the market for automobiles as compared with the market for good homes.

There has been great unemployment in the building industry within recent years. This has been due to lack of demand for building, which, in turn, has been

due partly to the relatively high cost of building. Unenlightened labor leaders seek to reduce unemployment by reducing output per man upon the assumption that it will create a demand for more men. Its true effect is to increase costs, the effect of which is to reduce the building market and thereby increase unemployment in the building industry.

The United States is the most prosperous country in the world. Even during the present world-wide depression its people are much better off, and suffer relatively much less from unemployment, than those of other countries. It has the greatest wealth per capita in the world, and every class of its people has a larger average income than the corresponding class in any other country, because its production per capita has been greater than that of any other country. Those who try to limit output per man by opposing the use of labor saving machinery are trying to prevent progress and to destroy the means by which the country's industry has been enabled to give constantly increasing employment and to pay much the highest wages ever known.

Whether correctly or not, the public believes that limitation of output has been practiced in more ways in the building industry than in any other industry. The future prosperity of the industry depends in large measure upon the destruction of such policies and practices and the eradication from the public mind of the belief that, owing to them, the cost of building is excessive.

CAREFUL PIPE SELECTION IMPORTANT TO BUILDERS

MONG the many responsibilities which builders have to shoulder, none is more loaded with "grief" than that of selecting the heating and water service pipe to go into the buildings they erect.

The builder may or may not be handling the pipe work himself; it makes no difference. If in a few years the pipes rust out or clog up, costly repairs and dissatisfaction result—and it is the builder who is blamed.

It is bad enough when building materials that are out in the open fail and have to be renewed; but it is doubly distressing when the pipes, built into the walls as they are, go bad—ruining walls and ceilings and forcing the building owner to submit to a veritable major operation to repair the damage and rectify the fault that caused it.

One instance on record of such costly pipe failure is of a building only twenty years old where piping replacement occasioned an expense of fifteen hundred dollars, whereas the builder originally, if he had selected his pipe with proper care, could have furnished a permanent, trouble-free job for only one hundred dollars more.

The manufacturers of pipe have perfected their service to the building industry by giving careful study to

the problems involved in producing the right pipe to meet the special conditions encountered. They point out that corrosion conditions vary not only between one part of the country and another, but between different services in the same installation. For this reason, blanket recommendations are unsound. The experts in this field have to be guided by experience; and, in each case, they specify the kind of pipe that is right for that particular place and use.

Builders recognizing the importance of these matters will give special thought and care to the selecting of the pipe to be used in their buildings, and then will make very sure that that pipe and no other is actually used. That builders will become "pipe conscious" and take advantage of the technical experience regarding pipe performance which is now available seems reasonable in view of the large amount of pipe required in the modern home, apartment and business building

WHAT IS A CONTRACTOR?

E have heard contractors and builders called a lot of things, some of them not very complimentary, but the best that has come to our attention recently is managing executive.

That sounds pretty high-hat for such an every-day, honest-to-goodness, straight-forward business as contracting, but it does indicate something that we think is important.

The fundamental problem in building construction is management, and it is an incontrovertible fact that the keystone of success is executive ability coupled with planning.

Colonel William A. Starrett calls it "organized foresight", or "pre-vision". He has said that thorough planning is the very essence of successful building.

It becomes more apparent every day that ninety per cent of the failures in the building business are caused by lack of even ordinarily good forethought. At this time of the year most builders are laying out their schedules for the rush of spring building. The more prudent will also give some thought to planning the work of the entire year.

BATTLE AGAINST SILICOSIS

NE of the commendable activities of the New York State Labor Department, in conjunction with contractors, which shows the trend of the times in safeguarding human life, is the progress being made in preventing silicosis, a disease which affects men employed in rock drilling, in foundation and tunnel work. The toll of sickness and death among workers was extremely serious, but it seemed impossible to find a way to control the dust created which, when taken into the lungs, was harmful to operators.

For several years, the Labor Department has been working on this problem in conjunction with contractors, and a number of devices tried out. It is now announced that a good method of dust collection which is quite efficient has been evolved, and that this one remaining menace to human life will soon be conquered.

G

intenififon, in ch

of ill ly id ig

in

11



POWER-ACTIVITY-PRODUCTION

The Concrete Mixer with Its Power Charging Skip Is a Symbol of the Mechanical Helpers on the Job Which the Building Industry Must Use with Ever Increasing Efficiency If It Is Successfully to Compete with Other Industries.

GOOD SHOWMANSHIP PA

A Dissertation On Pink Whiskers, Public Enemies and What Builders Need to Do To Let the Public Know They are out After Business

N this great land of Ballyhoo, Bustle, and Bunk it takes a good deal of first class showmanship to attract

Unless you own a set of pink whiskers, a crooning voice, or an 85-story skyscraper with a dirigible mooring mast, you are likely to have difficulty persuading the old home town that you are one of its leading Citizens.

Still there are ways,—short of murder, flagpole sitting, or being listed as a Public Enemy-that honest, hardworking members of the building industry can let the world know they have a bangup, good product for sale at a fair price.

In fact, we feel that contractors and builders have been notoriously weak in this department, and have stood around long enough letting the other local businessmen get all the attention.

We feel that builders need more good showmanship,not the flagpole sitting variety, but the reputable, respectable business-getting kind. It was all very well onceupon-a-time to say that if you have a good product, business will seek you out, but that doesn't hold in this age of advertising appropriations and public relations councils. Good business today demands that the contractor, not only for his own sake but for that of homebuilding in general, must advertise himself and his profession. He has got to come out from his side-street obscurity into the limelight of public attention, demonstrating over and over again the facts we already know, that to build a home is one of the most worthwhile investments a man can make, and that the local, independent contractor is the man to do the work reliably and well.

There are many forms of showmanship that will help bring your name and your business before the public eye. You can hire a brass band, and go at it that way. Or you can wear a brown derby, or run for mayor on the Communist ticket. But there are other ways, and possibly better ones, for members of the building

In the first place, are you getting the most out of your local newspapers? Well made up advertisements, placed as part of a carefully thought out program, are probably the most common attention-getting devices. In addition to this, however, your business should be represented in the news columns of the local paper, for your activities are news. People are vitally interested, especially right now, in building activities of any kind. Let the newspapers know what you are doing, and keep firing away with a barrage of news releases. If you haven't time to write them yourself, get a local newspaper or advertising man to do them on a part-time basis. Or even a high



school boy, interested in journalism, could prepare newspaper stories with your help.

Get acquainted with the newspaper staff, find out the sort of copy they like, and then keep them supplied. Pictures of the houses you are building or selling, of yourself and workmen, of materials, new house plans, new and projected activities will interest the real estate or building page editor. Do yourself and him a favor by supplying them. Two-line "teaser" ads inserted one a day over a long period of time are very productive for

Some people just naturally seem to attract attention. Take Will Rogers, Texas Guinan, or Mayor Jimmy Walker. Their capacity for attracting attention has not only made them famous, but has made them wealthy. In the same way, good showmanship by contractors and builders will pay in increased business. You don't need the wit of a Will Rogers to take part in civic affairs. help promote worthwhile movements, speak before clubs and city organizations, lead the way in home-town improvement campaigns. Such activities take time, but in addition to the good they enable you to do, they are profitable in a business way.

There are a thousand ways to practice good showmanship, ranging from the most hair-raising stunts to prac-

tical service for townsmen.



Contests, for example, are very useful in getting publicity. Consider some of the following, either co-operatively staged with other building interests, or by your own organization alone:

Architectural competition for attractive home designs; anyone allowed to enter; winning design to be featured by builder.

Contest for definition of "What is a home?"

Offer prizes to students in manual training schools, colleges, high schools for miniature model homes, to be used by you in window displays.

Essay contest for school children on value of owning your own home; winning essay to be published in newspapers and displayed in public places.

Picture contest for most beautiful home in the community; most attractive photos to be made up in traveling display for community centers.

Contest among housewives for favorite floor plans. Rough sketches only required, accompanied by reasons for room arrangement. Best and most popular plan for four, six, and eight room houses to be embodied in model homes.

Award prize to members of grade school, high school, and college classes preparing best essays on "How to modernize the old home."

These and many other contests may be arranged inexpensively and yet in such a way as to produce a tremendous amount of publicity and good-will.

A new attention-getting stunt is the airplane, used

to distribute circulars or by means of smokepots, spell messages in the sky.

Radio programs are the livest advertising media of the present. Ranging as they do from the costly, elaborate program to the one-minute "mention," they can be arranged to fit the pocketbook of any size business. The co-operative radio program, conducted by a group of builders or of local building interests to promote home construction, is growing in popularity.

Your motor trucks or salesman's automobile can be made moving signboards. Have you tried displaying your name and business slogan in big letters in this manner?

Job signs are undoubtedly of value, and are far too often neglected. They should be large, attractive, and interesting. In addition to giving your name, address, telephone number, and slogan, they should describe the project, for it is essential that your name be linked with the building that is going up.


Numerous novelties are useful in getting and keeping your name before prospective customers. Blotters, pencils, matches, memorandum pads, calendars, paper weights are just a few of the many that may be put to work for you. After all, the best advertising is that which keeps up a persistent, constant appeal to the eye,

(Continued to page 110)

BUILDERS GIRD FOR ACTION

Revenue Sources of Four Leading Industrial States in Percentages

Showing variations by states and years



% Revenue Real Estate
% Revenue Other Sources

Chart prepared by the Association of Real Estate Tax Payers of Illinois.

HOT SHOTS AT TAX TARGETS

S. H. THOMPSON, President American Farm Bureau Federation, "Property whose earnings represent 15 per cent of the net income of Illinois is paying 95 per cent of all State, County and local taxes in this State."

JUDGE ARTHUR J. LACY, Chairman Property Owners Division of the National Association of Real Estate Boards, "One-tenth of all the private property in nine counties of Michigan were recently sold in one day for taxes."

FRED W. SARGENT, President Northwestern Railway and member Tax Committee, U. S. Chamber of Commerce, "\$157,000,000 might be saved by cutting out duplication of the 400 existing tax agencies in Chicago alone."

DR. JOHN E. BRENDLY, lowa State College of Agriculture, "If taxation can be taken out of the hands of elected township assessors and put under a State board with appointed assessors it will do much to solve the problem of inequality of assessments."

PROF. SIMEON LELAND, of the University of Chicago, Tax Consultant, "The general property tax never did operate fairly, Colonial records show it did not even in Colonial times."

Join with Real Estate Interests in Organizing Property Owners to Campaign Against Government Extravagances and for a Fairer Distribution of Tax Burden

S clearly pointed out in the February issue of this publication, the men of the building industry, in all of its branches, have a very direct interest in the tax fight that is now being waged on a wide front across the country. They realize that high taxes discourage building and that before there can be any great upswing in building, the menace of exorbitant and confiscatory taxes on homes will have to be removed. They begin to see that, in order to bring effective pressure to bear on our numerous law making and taxing bodies, property owners and all those interested in real estate improvements must get together, to fight for new economies in government and for an equalized distribution of the tax burden.

Following the publication of our February editorial, "Fight for Lower Taxes," strong assistance developed in an unexpected quarter and demonstrated how deep and far reaching is the anxiety over the present tax situation. On February 5 the American Farm Bureau Federation called together in Chicago a nationally representative group of manufacturers, bankers, real estate economists, representatives of labor and of women's organizations for a two-day conference on taxes.

The meetings were well attended, the discussions thorough and the program of action recommended gives promise of constructive results.

Remedies, and the means of accomplishing them are contained in the formal resolutions unanimously adopted by this meeting as follows:

"Your committee is impressed with the necessity of full co-operation by the groups represented in the Conference, in trying to secure

"1. Distribution of the costs of government so that they may be fairly shared by all persons according to their ability to pay;

"2. Proper budgeting, supervision and control of Federal, State and local expenditures; publication of proposed local budgets and bond issues, with provision for appeal before their adoption by taxpayers of the unit affected to a quasi-judicial tax board; better administrative organization, the modernization of the structure of government, and the consolidation of under-sized units and the elimination of unnecessary units thereof; to the end that public money may be expended economically and that costs may be reduced wherever possible without impairing necessary public service;

"3. Creation of committees of taxpayers representing the tax paying interests appointed by the Governor, President of the Senate and Speaker of the House of Representatives of the respective states for the study of tax problems and to make recommendations to the legis-

latures for the revision of the tax laws;

"4. Careful study of the inter-relation of Federal, State and local taxation in the light of economic facts ıt

IN FIGHT FOR LOWER TAXES

Excessive Taxes on Real Estate Improvements Seen as Greatest Obstacle to Revival of Building Activity—A "Job" here for all of the Building Industry

and tendencies, for the purposes of securing better co-ordination of National, State and local finances (1) by eliminating, as far as possible, burdensome and unfair double taxation and other inequalities that hinder the proper conservation of natural resources and impede the sound development of agriculture, industry and commerce. (2) by assigning to the National, State and local jurisdictions those sources of revenue which are relatively best suited to each from the standpoint of (a) convenience and economy in the administration of public finances, (b) uniformity of tax levies;

"5. Continuing the conferences of this group and the organization of similar State and local groups, representing all tax-paying interests (a) to study specific and various phases of tax problems, especially the general property tax; (b) to affect retrenchment and economies in the costs of Federal, State and local government; and (c) to awaken tax consciousness on the part of the people generally."

The Organization Committee, composed of representatives from each of the participating groups, will call further conferences to carry out this work.

The following organizations were represented at the Conference:

The National Association of Real Estate Boards, National Association of Manufacturers, National League of Women Voters, American Electric Railway Association, American Civic Association, General Federation of Women's Clubs, National Electric Light Association, The National Grange, The U. S. Chamber of Commerce, American Bankers Association, and the Bureau of Agricultural Economics of the Department of Agriculture.

The fact that such diversified groups, representing such large tax paying interests, agreed on steps that contemplate new budgeting and supervising of all government expenditures, and the distribution of costs of government services, to catch those people not paying for such services now, is regarded as significant.

Throughout the nation generally there are now being carried on active campaigns for organizing property owners and builders into effective groups for combating wasteful governmental practices and unfair taxes on real estate improvements. Eighty-two cities to date have completed such organizations. At the same time, progress of a state-wide nature is noted in twelve states, as follows:

Pennsylvania, New York, Virginia and California have diminated any direct state tax on real estate. Ohio, by a constitutional amendment which goes into effect December, 1931, has provided for the classification of intangibles for tax purposes. It has put a constitutional limit of 15 mills on the tax rate on real estate. Tennessee, by an act which went into effect December, 1930, has provided that no ad valorem or general property taxes,

To Every Owner of Real Estate ... An Invitation and a Program Half our wealth is real estate. This half pays 80 per cent of local taxes Half our wealth is personal property and intangibles. This half pays only 20 per cent of local taxes Let's Have

Sample of Folder Being Used in the Work of Organizing Property Owners' Divisions of the Real Estate Boards.

except school taxes, shall be levied for state purposes. It has adopted a tax of 5 per cent upon the income from intangibles. North Carolina has pending a proposed constitutional amendment to permit modernization of its tax laws. New York has created a state commission to form a plan for modernization of tax laws. South Carolina will vote on a constitutional amendment to make provision for the classification and segregation of property for tax purposes. Washington, by a vote of its state legislature, has submitted to the people of the state a proposed amendment permitting a more equitable classification of property for tax purposes. New Jersey and Utah have proposals pending to provide for classification of property for taxation,

Factory-Built Houses

New York Architect Urges Mass Production of Dwellings, Claiming that Standardization Will Cut Home Building Costs 50 Per Cent

STANDARDIZATION of home building by the same mass production methods that have given the worker cheap shoes, ready-made clothing and better automobiles at lower cost is the economic solution of the housing problem, according to Grosvenor Atterbury, New York, architect and city planner, who urges the organization of a research institute of economic housing to further the quest for better and cheaper housing.

Mr. Atterbury's ideas are outlined in a report on "The Economic Production of Workingmen's Homes," published Feb. 12, 1931, by the Regional Plan of New York in connection with its studies on housing and reported in the New York Times of the next day.

Mr. Atterbury declares that a few years of concentrated research in laboratory, shop and field, leading to standardization and factory mass production, would eventually cut the cost of building the simplest types of housing by 50 per cent and permit, with proper street planning, construction of houses renting for \$5, \$6 and \$7 a room.

Stresses Long Island Experiments

Mr. Atterbury based his figures partly on actual experimental results achieved at Forest Hills Gardens, where nearly forty houses were built from standardized factory-made sections. It was found that a factory-made section of wall 9 feet high, 15 feet long and 9 inches thick after being put in place cost \$45, including overhead charges, as compared with a cost of over \$85 for a brick or terra cotta section of the same size. Walls, floors and roofs could be built of a variety of standardized units. The great difference, says Mr. Atterbury, is found in the appalling waste involved in the current methods of constructing homes.

While productivity in the automobile industry has increased 172 per cent, Mr. Atterbury points out, productivity in the housing industry has actually decreased—in some of the housing trades nearly 50 per cent.

Rejects Philanthropic Subsidies

"Strangely enough," he says, "it is difficult to name a practical art which throughout all the centuries of man's civilization has made slower progress than the art of home building. We are still using the little brick, the hand unit with which they built the walls of Jericho, and laying them today probably far less cheaply."

Disagreeing with those who say that in order to solve our housing problem we must eliminate the profit motive, Mr. Atterbury holds that subsidy by philanthropists or by the State "will prove but a well-intentioned gesture and only delay the economic solution of the prob-

lem-the only cure."

The research institute proposed by Mr. Atterbury, would "stimulate, co-ordinate, concentrate and direct the national will and effort toward a scientific solution of the problem." It would, he says, combine the efforts of the best inventive genius available and the best experience and ability in other divisions of the problem with the necessary opportunity, funds and equipment. If possible, he suggests, it should be privately endowed in connection with some great educa-

tional institution to assure continuity of effort in an atmosphere free from any political or individual interests. If no other agency can be found to do the work, he adds, the city should undertake it.

Factory Production Urged

Factory production of houses, the report continues, would mean more employment in the housing industry rather than less. While organized labor looks askance at the employment of labor-saving devices, the supplying of the demand for workmen's homes would, in his opinion, mean the birth of a new industry, the manufacture of economic homes and the present intermittent labor would be replaced by continuous all-the-year-round work "with an enormously increased field for labor and an efficiency justifying high wages.

"Under the existing antiquated building methods mechanics at \$12 and \$15 a day can never produce a small house that is worth the money it costs," he says. "It is a 'poor buy' even if the laboring man has the money to pay for it. Even at cost it is poor value compared with food and clothing—and many of his luxuries! The rich man, perhaps, could afford to pay for the waste included in the price. The poor man most certainly cannot and it is doing him a questionable

service to help finance such a proposition.

"On the other hand, cut the cost by scientific factory production and offer him a really good bargain, well-designed, fireproof and substantial, involving but a small fraction of the ordinary upkeep of the present so-called low cost houses, and you will open up a market even greater than did the original Ford motor car. As in that industry, in spite of labor-saving devices and methods—really because of them—there will come an enormous increase in the labor employed as well as the opportunity for the laboring man himself to make a really wise investment within his means. In which case the various plans to facilitate his ownership of his own home will be good business for everybody."

Editorial Comment

In the same issue the New York Times presents editorially this searching review of Mr. Atterbury's paper:

"No one who looks about can fail to be struck with the comparatively slow progress that has been made in the housing industry. Transportation has made immense strides since the day of the wheelbarrow and the cart. It is a long way from the signal fire to the telephone. Our ancestors would not recognize some of the foods we eat today—particularly for breakfast. They would be amazed at our commercial skyscrapers with their steel frames. But they would find nothing particularly novel about the construction of our homes. The trimmings may be modern, but the fundamental processes and materials have come down to us through the ages. Invention and mass production, so headlong in their course in other industries, have swept past homebuilding.

"If the principal processes of house-building could be transferred from the field to the factory, it would reduce the cost of construction, put the industry on an all-theyear-round basis, secure the benefit of highly skilled design and greatly stimulate home ownership."



MOTT STUDIOS


E. A. EDDE, Designer

Homes of Winsome Appeal

The "secret" garage doors with covering of stucco to match the surrounding wall; all hardware is concealed and lattice strips cover the joints, while a seat and climbing vines which swing with the doors complete the illusion.



The windows interpret the medieval spirit to a marked degree; small in size, of irregular placement, divided by mullions and transoms into small sections and leaded throughout.



Residence of Mrs. L. C. Hunter


The enchantment of Medieval Architecture sways the human emotions—the mystic qualities suggest romance, life and adventure—there is a strong and independent vein that runs through all work of this type; with a background rich in coloring and intricate in pattern it reflects the release from restraint and convention. It has a very definite character that amounts almost to "vibration" when held in comparison with the conventional styles of classic origin or adaptation.



DUNCAN HUNTER, Architect PATRONO BROTHERS, Builders

Medieval French in Character

The house of Mrs. L. C. Hunter at Fieldstone, N. Y. City, is a simple adaptation of the Medieval French type. A romantic setting amid forest trees and rocks gives the necessary natural flavor; simple masses and the spirit of hand craftsmanship preserved throughout, together with constant supervision on the works in preference to "paper execution" in the office account for its strongly individual character.




Economy Neatly Clad



NATIONAL PLAN SERVICE Designs



FIRST . FLOOR .



· SECOND · FLOOR ·

Two Charming Little Homes — Planned with Taste, Arranged for Comfort and Sized for Thrift— They Are Making New Friends Every Day.






GE



Styled for Young Moderns


NATIONAL PLAN SERVICE Designs


A Bungalow and an English Cottage in Tune to the Ideals and the Needs of the Present Generation—Hospi-table, Cheerful, Step-saving!





·SECOND · FLOOR ·







Modified Spanish

Houses and wall construction on these pages are typical of those popular in Arizona and the Southwest, where stucco exteriors in shades of pink, brown, gray, and green are effective to provide color in a semi-desert country.


Above is shown the entrance gate to patio of residence of Harold Bell Wright, novelist, near Tucson. The patio is very necessary; a type often seen is the one shown at the right, in the residence of W. E. Gurnee, Tucson.




W. B. WINCHESTER, Architect



From the Old Southwest







LINCOLN MORTGAGE CO., Architects and Builders

English and Norman Influence Here

Stucco and half-timbering are the simple construction materials of this interesting design which shows indications of both English and Norman influence. The floor plan, however, reveals a layout of rooms in keeping with the demands of modern American life. On the first floor the rather large living-room with its bay window dominates, and opens on one side on to the covered terrace. A door opposite leads into the entrance hall. Connecting the dining-room and kitchen is a breakfast nook, and the light, enclosed service porch provides additional space for the necessary kitchen equipment and supplies. On the second floor are three airy bedrooms.








This home of wood construction presents a flexibility in design which simplifies the task of producing an attractive and architecturally correct dwelling at moderate cost. Such houses as this are typical of the homes that are being built in every city throughout the country by those people who appreciate good architecture but are possessed of only average resources.

Compact and Inexpensive





Five Exteriors. All fit the same convenient floor plan.



National Plan Service Designs.


SUMMER COTTAGES Plan Them NOW

The out-of-doors will soon be calling—summer homes are to be planned and built! Builders and their clients now get out the fishing tackle and the blue prints.


Consider the vacation cottage,—whether it is nestled within the green of the woodland, caressed by the water's gentle breeze, or gracing the balmy countryside, wide in colorful beauty—there it is you will find an abode of happiness, rest and comfort.

Why spend the long, hot days and sultry nights in the city, when less than an hour's motoring brings you into the cool, sweet-smelling air?

A summer home to be comfortable and substantially built, need not be costly—in fact, the exceedingly nominal cost is most surprising. The designs presented offer a selection.







"ALLWOOD," A New City Over 4500 Homes and Other Buildings

The Outstanding Building Development of 1930 Is That of

"ALLWOOD," NEW JERSEY

developed by Charles H. Reis, Inc.

The story of its start July, 1930, and the building and sale of the first 100 houses by December, 1930, is told in this article.

THE year 1930 was a poor one for business in general and exceptionally so for building developers. It is unusual in such times to find men willing to go ahead with a gigantic house building program, especially so when the houses produced are to be sold at a moderate price to those with moderate incomes. It was generally supposed that the middle classes would be the ones to withhold all purchasing until the country was again on a better financial footing.

It takes keen insight into human nature to figure out just how a certain portion of the public will react towards home buying. Charles H. Reis, Inc., has had considerable experience in selling moderately priced homes. The successful marketing of Sunshine City—a group of 1,000 homes situated at Woodridge, N. J., was described in the September 1930 issue of American Builder.

Despite the depression these developers considered it wise to go ahead in 1930 with a new development; and that they were right is evidenced by the prompt sale of the first 100 houses erected at "Allwood." The creation of this development will stand out as one of the bright spots in 1930 home building history.

bright spots in 1930 home building history.

The nucleus of the Allwood property was obtained by purchase of a 300 acre tract owned by Brighton Mills, Inc., which moved its plant to Georgia. This plant was situated in the small town of Allwood, a suburb of Clifton, N. J. Several through highways cross the property and there was also a railroad station, church and schools in the town besides a number of small houses for the



Marlboro Road While Under Construction Was a Mecca for Interested Visitors. This picture was taken before any of the "Model Home" opening days or before any advertising appeared. The reinforced concrete street and curbing have not yet been placed.

ngs

ral

is

bse

SO

ate

lly

to

on

out

ds erhe

he

nd

of

a-

he

tv


of Homes in the Making To Be Erected in This Development


mill hands. The vacant property purchased was held by the mill owners for future expansion but changing conditions made it advisable for them to seek a southern location for manufacturing. It is the expectation that the large factory building will be sold or leased to some manufacturer.


To this 300 acre tract Charles H. Reis and his partner, Newland C. Prior, added 200 acres acquired by assembling parcels of surrounding farm land. The property includes rolling countryside, orchards and wooded sections. From many of the hill top locations the towering buildings of New York City are visible. Adjoining the property on one side is a large country club.

Property was bought for part cash, the balance on a five-year mortgage. The release of the land from the mortgage was fixed on a square foot basis, street and park areas to be released without cost upon filing of maps with the county authorities. The amount of land released with each payment was carefully calculated so that by the time the entire amount of the mortgage is paid, two-thirds of the land will already have been released.

On July 5, 1930, the First Power Shovel Came on the Job. Charles H. Reis is at the controls while Newland C. Prior looks on.







Two title companies were employed in the search, not only to check up against each other, but to have two companies available to make mortgages without search delays.

The first step, of course, was to plot out the land. The residence streets were located so that they would be easy to reach from the existing highways and the railway station. As it is planned to have over 4,500 houses on this tract, it will house a population of about 18,000, so a business center would be required and a recreational center would be a desirable adjunct.

All residence streets are planned to be 50 feet wide and paved with reinforced concrete 7 inches thick, also curb and sidewalk. Every house is to be set back from the curb 35 feet; this will insure a distance of 120 feet between building lines. Every house will have a built-in garage. Practically every plot will have a frontage of 40 feet and a depth of 100 feet. The restrictions call for no out-build-

ings, fences or other structures ex-

Diagram of Recreation Center. This adjoins the rear of the business section to be placed on Market Street.





There Is No Mistaking the Sales Price of This Six-Room House as It Is Prominently Displayed on Large Sign. Note the difference between these five-room house plans shown below and those of six rooms opposite.



A Good Crowd Always Assembled at the Opening of One of the Sponsored Model Homes. A massbuying state of mind was created in these prospects.

cept the house on residential plots. Thus there is a garden space in the back of each house 40 feet in depth or an 80 foot strip of park area in the rear of all houses. Naturally every tree on the property will be preserved if possible, others will be relocated or new ones planted.


About a seven-acre plot has been set aside for a recreation park and in addition, park spaces will be arranged around the new railroad station to be built by the developers. The arrangement of these park spaces is indicated on the survey presented herewith.


The business center, called Market Street, 80 feet wide, has already been laid out and is of reinforced concrete sufficiently wide for four lanes of traffic; and the rest of the roadway on either side of this strip is of macadam, which will serve for parking space.

The houses to be erected will vary in design, in fact where desired they will be built to order. Although 40




A Close-up View of the First Section of Market Street Buildings Already Erected. Note the modernistic note in these terra cotta store fronts.





· FIRST · FLOOR · PLAN ·



· SECOND · FLOOR · PLAN ·





Two Exterior Views of Six-Room Houses Are Shown in Above Pictures. Dutch Colonial and English precedents were the models for these two home designs. The arrangement of the six-room homes is illustrated below.

feet was set as the frontage of most of the plots, additional space will be sold at the rate of \$50 per front foot to anyone wishing more land.

July 5, 1930, was the day that physical work started in this development. A large steam shovel began clearing for the first street and the cellars for the 100 houses to line both sides of it. Two basic floor plans were used, one for five rooms and bath and the other six rooms with two baths. A number of the exterior designs were used to create variety.

Water, gas, electricity, telephone, and sewers have been all provided so that the dweller here will enjoy these conveniences of city life. In addition, mail is delivered,




Flood Lighting Played an Important Part in Creating Good Will at Night, Illuminating Not Only the Houses But Also the Sign Telling the Selling Story.





In a Few Years This Wide Concrete Paved Market Street Will Be Lined on Both Sides with Stores and Be the "Gay White Way" of the New City.

fire and police protection provided and transportation is easy to different surrounding northern New Jersey cities as well as to New York.


Since automobiles have come into universal use, the garage has been made a part of each house. This is cheaper than building a detached garage, improves the house appearance and provides a heated garage, a fea-







· FIRST · FLOOR · PLAN ·



· SECOND · FLOOR · PLAN ·



On the Steps of This Model House Reading from Left to Right Are P. J. Jossier, the Architect of the Allwood Buildings; Charles H. Reis, and Newland C. Prior, Officials of the Development Company, and Russel S. Wise, Civil Engineer, Who Is Laying Out Allwood.

ture thoroughly appreciated in the winter time when cold motors are so hard to start.

In launching a development project of this size, one of two model homes would not attract much of an audience, therefore the first move in creating Allwood was to construct one street as a model so as to form a sort of show window. The houses illustrated in this article are on this model street. Work will begin again this spring in creating other streets, and the program continued for seven or eight years until the entire tract is built up.

Buying was done in large quantities and advantage taken of cash discounts. By maintaining a large organization of skilled workers every cost-cutting method of erection is employed so as to produce the most house for

the least amount of money.

Much efficiency was obtained by setting up teams of men who do only certain specific work. This tends to make the men experts in their own particular line and it is easy to check up on their daily production. A general superintendent is employed to look after the construction.



Sketch of the New Allwood Railroad Station to Be Built in 1931 by Charles H. Reis, Inc.

He has a number of assistants and for each group of men a foreman is provided. Union labor is employed and the five-day week observed.

Accurate accounts are kept so that costs are known. In addition to the cost records various forms are used for keeping records of sales promotion efforts and the handling of customer accounts until the time of closing.

The Reis organization is fortunate in having a selling method developed whereby a complete house is offered at one fixed price and the second mortgage carried until it

is fully paid.

Under the one-payment plan adopted, the home purchaser simply makes a down payment of \$950 on the \$7,950 house and then pays \$75 per month. This monthly payment covers the interest on the \$4,800 first mortgage, interest on the \$2,200 second mortgage, taxes and insurance, while the balance goes toward reducing the second mortgage.

Interest is charged only on the unpaid balance of the second mortgage, which reduces each month; this method continues for approximately six years when the second mortgage is fully paid, leaving only the first mortgage interest and taxes. The first mortgage is for three years

with a Title Company and is renewable.

SPECIFICATIONS

Of Advertised Products Used in Allwood Homes

Lavatories, toilet combinations and sink and tray combinations. Shower receptors supplied by Ford Porcelain Works, Perth Amboy.

Standard Sanitary Manufacturing Co.—Pembroke Tubs. Republic Brass Co. shower fit-

tings and bath fittings. 20 gallon Chief Hot Water Heater—semi-automatic.

Heater—semi-automatic.
Steam fittings—Essex Foundry

Junior excelso auxiliary water heater on boiler.

Copper tubing both hot and cold supplied by American Tube Co.

Ohio Brass radiator valves.
Indiana Brass Co. Brass fittings.
Richardson and Boynton or
American Radiator Co.—
steam heating plant and

radiators.
Aluminum Co. of America—
leaders and flashings.
Truscon Steel Co. steel sash

and metal screens.

Hoosier scientifically arranged special Kitchen Cabinet.

special Kitchen Cabinet. Ready Built Products Co. fireplaces.

Consolidated Batten front door and garage doors.

Kelly cork insulated fire proof boards in garage and closets.

GE electrical wiring and switchboxes.

National outlet boxes. Flintkote Giant asphalt roof shingles.

Cliffside Iron Grill railing for main stair.

Black Diamond wire lath behind tile.

Truscon Metal corner beads on all exposed plaster corners.

Built-in ironing board in kitchen. Shower curtain.

Maltese Cross siding 100% clear.

Concrete floor in garage and apron.

11/4" Maple drain board around sink.
 "Easy Draft" Heat Regulator.

Footings and cellar floor—no ashes used—mixture of cement, sand, and gravel. 12-inch concrete blocks tested

by Haller Testing Laboratory. 2" x 10" floor beams Fir. 1/8 inch Select No. 1 Oak floor

/8 inch Select No. I Oak floor in every room. Eastern Canadian Spruce Lath No. I.

Monument Stucco. Adamant sanded brown plas-

Hi-Speed lime.
Tiger finishing lime.
Lehigh-Portland Cement.
Steeltex wire lath behind

Stucco exterior.

Duracolor side wall shingles.

Stanley & Patterson, Inc., Electrical fixtures.

Truscon Metal door bucks.
Sisalkraft paper around windows.

Dexter locks with Bakelite hardware—National Brass Co.

McKinney Butts.
United Metal Box Co. clothes hampers and cabinets.

L. & H. all enamel gas range. Cambridge-Wheatley Colored Tile in bath.

Fairfax bath room fixtures. Richard E. Thibaut Wallpaper. Pratt & Lambert floor varnish. Sealex Linoleum supplied by Congoleum-Nairn Co.



Typical Interiors of Allwood Homes
—View of Living Room.

The one payment plan adopted eliminates uneven payments and does away with the sometimes excessive renewal rates on second mortgages and reduces the number of delinquent accounts and foreclosures. Regarding this, Mr. Reis said:

"When we offer a home with a cash down payment of \$750, \$950 or \$1050, depending upon its price

or \$1050, depending upon its price, a purchaser in calculating his cash outlay will not be deceived by unknown or unexpected additional cash outlays for essentials, which,



in a great many homes, are not to be found. It must be borne in mind that the first year or two years of home ownership are the most difficult. When a purchaser has successfully carried his home over a two-year period it is reasonable to assume that no trouble will be forthcoming. Therefore, if during the first two years the purchaser is to be embarrassed with a cash outlay for a garage, runways, assessments for street improvements, shrubbery, screens, decorations and other incidentals, he is being placed in a position that will seriously affect his ability to carry on.

"Every purchaser sets up a budget within which he can carry his commitments. When funds must be taken in excess of this budget, it ceases to function as such; and he becomes more and more delinquent in his payments, which eventually pile up so as to make any further carrying on unprofitable and unwise. In our experience we have found that the more complete the product, that is, the home with its necessary accessories, the less the chance of fore-

closure."

The first mortgage for three years is obtained from a title company or from a large insurance

pany or from a large insurance company and is renewable. When the second mortgage is paid off the purchaser has the privilege of either continuing with the first mortgage or having a building loan association carry the loan which, of course, is repayable monthly for a period of over 11 years. Thus, the buyer has approximately 17 years in which to make payments for a house, making monthly payments as small as possible.

The next step was the actual selling of the houses. The first procedure was to get the public acquainted with what was being done. This was done through an intensive campaign of publicity and advertising directed by the United Service Advertising, of Newark, N. J.

The first step was to prepare an article giving the story

Excellent Fixtures, Linoleum Floors and Tile Wainscot Make a Very Attractive Bath.

View of Kitchen

Showing Effi-

ciency Cabinets,

Sink and Range.



The Concrete Block Walled Cellar, Showing Heating Plant and Hot Water Supply System:

Note the Copper

Tubing for Water.



One of the Allwood Sign Boards Placed at Prominent Points Along Principal Motor Highways.

of a project which would put an army of men to work in the creating of an ambitious project despite a hardtime year. This article was sent to various newspapers and news associations as a story cheering in times of depression. It was published in full or commented on by practically every newspaper in northern New Jersey and New York City.

This first story was followed by others; and then a luncheon was arranged for the various real estate editors, at which the story of Allwood was outlined and each guest received a complete set of literature giving the

story of Allwood.

This publicity was timed to coincide with the start of operations at Allwood. From the time the first story appeared consumer interest was keen, and even though not a line of advertising had been used people came out in crowds to view a new town in the making.

Preliminary to ordering the advertising it was necessary to determine the market from which future families would be drawn to Allwood. Then various newspapers were selected as advertising mediums. Newland C. Prior, the vice-president of the company, who has charge of the advertising, stated:

"Our past experience has taught us that to sell houses it is as important to advertise as it is to have houses to sell. In the long run it takes personal salesmanship to put over actual sales, but advertising is first needed to create in a prospect's mind some degree of acceptance and confidence even before he sees the house."

The first preliminary advertising was done on rather a lavish scale; there were 100 houses to sell in 1930, but the profit on these did not justify the big outlay for the first advertising. These developers, however, knew the value of this advertising as a good will builder to establish the name of Allwood and create a feeling of confidence in the minds of thousands of prospective buyers.

The opening advertisement appeared in Saturday and Sunday papers—full pages in New Jersey papers and small space in several New York papers. On Sunday over 5,000 people came out to visit Allwood and the next week the first furnished model home was opened. This was arranged in connection with a Newark paper. The publicity created resulted in over 12,000 people attending this home opening.

In regard to how furnished model homes help as

crowd gatherers, Mr. Reis stated:

"I will concede that such events bring out droves of people who could in no sense of the word be rated as prospects, but in amongst these there is always a group that ultimately become home buyers. It is, hence, true that on an opening day very little selling is done because of the prevailing excitement of milling throngs of people. It is also true that there is invariably created a certain sales momentum which shows itself with good results in the future."

Later a full page advertisement in colors was run in a New York evening paper. Such an advertisement for a low priced home was something that had never before

appeared in a New York newspaper and it attracted a good deal of attention. This advertisement appeared on a Saturday. The next day, Sunday, there was a steady stream of visitors from 10 A. M. to 9 P. M. visiting the various houses. This crowd was handled without any undue inconvenience and actual sales were made that day.

For weeks after many visitors stopped at Allwood due to seeing this advertisement. One of the homes had been completely furnished by a large department store and this model home was made the subject of this advertisement. Previous to its appearance, little items



The Advertising Folders for Direct Mailing Attractively Tell the Story of Allwood Homes. to help public interest were inserted in this newspaper. In addition to newspaper advertising a large circular or broadside in two colors told the story of Allwood and its homes. About 100,000 of these were distributed from house to house in selected areas or through the mail to prospects or handed to visitors.

When names are obtained from visitors who are likely to be prospects a series of four individual folders are

mailed at intervals so as to keep up interest. These, of course, are followed up by a salesman's call.

Painted outside signs were located on various roads in select locations to carry the message of Allwood to

the motoring public.

Advertising in a lavish manner also brought its own troubles in the way of undesirable curiosity seekers who visited the homes. It was soon found out that many desirable prospects were timid about something. They gave an "I'll come back later" answer and the trouble was soon spotted as being the sight of this undesirable element. They did not care to locate where their neighbors might be undesirable to them. Here was a problem

that was going to seriously affect sales unless quickly remedied.

The solution of the problem was the creation of the Allwood Country Club which required an application to be filled out by every prospective buyer and only after complete investigation was a family admitted to owner-

ship and membership in the country club.

This new feature was immediately introduced in all advertising and the restrictions of Allwood residence was stressed in the copy. Within a few weeks the situation was changed, the desirable prospects were again interested in a home locality that was properly restricted.

In regard to the sales force; a small staff of well trained men are employed, all are able to talk intelligently regarding the construction of the houses and able to give definite information to visitors. The average prospective home owner today is not so unsophisticated as to take everything for granted. Practically every newspaper and magazine during the last ten years has had something to say about home building. The public has been educated to the better things that can be obtained and they demand them even in houses that sell at a moderate price.

Although the business street is occupied by only four stores at present, it is kept well illuminated at night and the furnished model houses are flood lighted. This illumination always attracts crowds of visitors during the evening hours. It was originally tried out as an experiment, but as a number of sales were directly traced to it,

it is continued.



Reproduction of the Full Page Newspaper Advertisement in Colors Which Was Run in the New York Evening Journal.

One of the sales force makes addresses before groups of men in business or industrial organizations, putting over the message of Allwood whenever possible. At each meeting they give out literature and many desirable prospects are secured in this way. This year the building of homes will begin on a large scale and a number of new streets will be developed.

As other builders held back their operations the supply of desirable small homes in northern New Jersey was being steadily depleted and as prices of materials were under normal Charles H. Reis, Inc., was able to do a very normal thing in a very unusual time; hence, this

project made good in 1930.



The "Allwood" Exhibit at the Convention of New Jersey Realtors. This exhibit was awarded first prize for constructive publicity. It was prepared by United Service Advertising of Newark, N. J.



SALASIN & FREED, Builders

J. ETHAN FIELDSTEIN, Architect

Big Income Possibilities Here

The architect of the Bryn Mawr Gables Apartments at Bryn Mawr, Pa., has succeeded in arranging each floor of this U-shaped building into twenty well-lighted units, ranging from two to four rooms each. The building over all is 101 by 201 feet, the central court being 28 feet 8 inches wide. Four outside front entrances and stairway systems serve these units; there are a like number of service entrances and stairs. The building is four stories high; part of the ground floor space is used for heating plant, laundries and storage.

used for heating plant, laundries and storage.

Apartment units so compactly and satisfactorily arranged bring high rentals, making the profit possibilities very large for a building of this type.

BED-ROSM
HO KNO SIS LIVING-ROM
SIS LIVING-ROM
SIS LIVING-ROM
HO KNO SIS LIVING-ROM
SIS LIVING-RO

GF

How To Estimate Your Own Modernization Market

By E. L. GILBERT

Research Director, American Builder and Building Age

STIMATING, in the building business, requires almost superhuman carefulness, a broad knowledge of the technical problems natural to every piece of construction, and the "patience of Job." This applies to the careful figuring of even a small cottage, in estimating the number and ages of existing residential structures for any given locality a rather complicated formula must be followed.

The Bureau of the Census has estimated that there are an average of 4.3 persons per family in the United States. Since housing requirements are necessarily based on the number of families, this is an important

fact to remember.

Studies conducted in many localities have proved that each family has one home; although there are cases on record where seven or eight persons live in one home, there are other cases of many families who have two or more domiciles, such as a summer home and a winter residence. Consequently, for all practical purposes the number of families in any given section establishes the number of homes in that locality. It is easy to determine the number of homes in your locality by dividing the population figure by 4.3. For the purpose of estimating your local modernization market it is necessary to secure the census figures (at ten year intervals) as far back as possible. In figuring the modernization market for entire United States we have the following:

Year	Population	No. of Families
1830		2,992,100
1840	17,069,453	3,961,640
1850	23,191,876	5,393,460
1860	31,443,321	7,312,400
1870	38,558,371	8,967,063
1880	50,155,783	11,664,136
1890	62,947,714	14,639,003
1900	75,994,575	17,673,157
1910	91,972,266	21,384,248
1920	105,710,620	24,583,865
1930	122,698,190	28,534,463

It is to be noted that the above figures represent the total number of "home units" in existence by decades. By subtracting the total number of "home units" in existence in the year 1830 (2,992,100) from the total number of "home units" in existence in 1840 (3,961,640) we find that 969,540 additional "home units" were necessarily created during the ten year period 1830-1840. Using this simple method established the number of additional "home units" built in the United States during each decade of the past hundred years, as follows:

Number of	"home	units"	in exister	nce in 1830	2,992,100
Additional	"home	units"	periuper	1830-1840	969,540
Additional	"home	units"	required	1840-1850	1,431,820
Additional	"home	units"	required	1850-1860	1,918,940
Additional	"home	units"	required	1860-1870	1,654,663
Additional	"home	units"	required	1870-1880	2,697,073
Additional	"home	units"	required	1880-1890	2,974,867
Additional	"home	units"	required	1890-1900	3,034,154
Additional	"home	units"	required	1890-1900	3,034,154
Additional	"home	units"	required	1900-1910	3,711,091
Additional	"home	units"	required	1910-1920	3,199,617
Additional	"home	units"	required	1920-1930	3,950,598

Total Number of "Home Units" In Existence Today.......28,534,463

The majority of residential structures erected during

the past hundred years were not so designed and constructed as to have a useful life of more than 50 years. A very conservative estimate of the rate of obsolescence and depreciation of residential structures has been given as two per cent per year. This means that the average residential structure is completely replaced at the end of 50 years. When it is considered that thousands of residential buildings are demolished each year to make room for new apartment houses, office buildings, theatres, etc., in addition to the annual loses by fire, flood, tornado and other disasters, as well as the "running down" of certain neighborhoods in practically all cities, this rate of obsolescence and depreciation is seen to be a conservative one. Besides the complete demolition of residential buildings as enumerated above, hundreds of millions of dollars are spent each year to maintain (through additions, alterations, repairs and modernization) structures which would otherwise have to be abandoned. Thus, a considerable part of the "modernization market" results each year in the building of new homes; this new building must be deducted from any theoretical estimate of annual modernization needs.

Extensive research, including the study of typical sections in various parts of the country, has revealed the fact that the law of obsolescence and depreciation operates according to a fairly simple formula. In the table which is given below it is shown that for every 100 homes built in 1830 (100 years ago) there are in existence today 32 homes less than 10 years old, 24 homes 10-20 years old, 18 homes 20-30 years old, 15 homes 30-40 years old, and 11 homes 40-50 years old. These figures, it is obvious, are really percentages; by applying this table to the figures secured for your own locality (as explained in preceding paragraphs) it is an easy matter to determine the ages of the "home units" in your locality. In using this table be sure to set up all first figures as in the 1st decade; thus, for buildings constructed in the decade 1880-1890 (1st, in this case), use the figures of the 5th decade, for 1920-1930 is the fifth decade following the period 1880-1890.

OPERATION OF OBSOLESCENCE AND DEPRECIATION FACTOR IN REPLACEMENT OF "HOME UNITS"

		Less than	10 to 20	20 to 30	30 to 40	40 to 50	
Deca	de	10 yrs. old	Total				
Ist		100	*		******	******	100
2nd		20	80	*****	*****	*****	100
3rd		24	16	60	*****		100
4th	*********	28	19	13	40	******	100
5th		33	22	15	10	20	100
6th		36	26	18	12	8	100
7th		26	29	21	14	10	100
8th		29	21	23	16	11	100
9th		28	23	17	19	13	100
10th	**********	30	22	19	14	15	100
11th		32	24	18	15	11	100

Applying the above table to the numbers of "home units" for the entire United States develops the following figures:

o. of "Home Units" in Existence Today	Ages	
10,919,348	Less than 10 yrs. old	
7,229,217	10 to 20 yrs. old	
5,307,833	20 to 30 yrs. old	
3,230,078	30 to 40 yrs. old	
1,847,987		
28,534,463		

Although each family accounts for one home, not all families live in the same type of home. Thus, some families live in private residences, others in two-family dwellings, and others in apartment houses. "Home Units", in other words, are not buildings; but each "home unit" represents the housing accomodation for

Since apartment houses have been growing in popu-

larity, as well as two and three family houses, it was necessary to find out what percentage of the "home units" were located in these various types of buildings. A study of the entire United States revealed the fact that there are 73,729.263 buildings per 100,000 families (the exact figure was carried out to the sixth place, but is not necessary for all ordinary local estimates). For approximate estimates, you may figure 73.72 buildings per 100 families. This showed that the 28,534,463 "home units" in the United States are contained in 21,038,248 buildings. And now if you will multiply the number of "home units" (in each age class) by the figure .7372, you will have the number of buildings within each age division.

Again referring to the national study, this estimating operation developed the following figures:

	Age	s of	f Bui	ldings	Number of Buildings	Families Housed
					6,845,268	10,919,348
10	to	20	yrs.	old	5,562,751	7,229,217
20	to	30	yrs.	old	4,334,723	5,307,833
30	to	40	yrs.	old	2,714,477	3,230,078
40	to	50	yrs.	old	1,581,029	1,847,987
		Tot	als		21,038,248	28,534,463

By this time, if you have followed the instructions outlined in this article, you will certainly agree with the first sentence in the first paragraph—but you will also be very near vour final figures. It remains only to segregate the total number of buildings so that they will show the three types; one-family, two-family, and multi-family. This last calculation is not nearly as difficult as one would think; simply multiply your figures by the percentage breakdowns given in the following table:

carried much further to develop the following table of existing residential buildings in the United States:

Ages of Buildings	Single Family	Two Family	Multi- Family
Less than 10 yrs. old	5,515,445	1.046,033	283,790
10 to 20 yrs. old	4,601,758	872,797	88,196
20 to 30 yrs. old	3,613,439	685,308	35,976
30 to 40 yrs. old	2,271,552	430,812	12,113
40 to 50 yrs. old	1,326,393	251,557	3,079
Totals	17,328,587	3,286,507	423,154

In working up the estimate of any given locality certain local conditions must be remembered, such as that certain sections are older than others, etc. in the eastern States many very old houses will be found in a good state of preservation; but upon investigation it will be discovered that the majority of such structures have already formed part of previous "modernization markets". Judgment on the part of the estimator, with adjustments to allow for special local conditions, should always be respected.


But a little time and study devoted to local investigation and this sort of estimating will soon assist any up-to-date builder to make up his mind whether there is a large enough volume of potential profits in his own community, to justify a strong campaign.

Practically one-third of the houses in the United States are less than ten years old—how many of them are in your community? Do they need re-roofing yet? Could you sell them a decorating job? How about making sun parlors out of porches? Couldn't you sell a lot of new garage door installations?

Roughly, one-fifth of the residential structures all over the country are more than 30 years old. Some of them are certainly in your own town-undoubtedly many of these older buildings could stand a coat of stucco, new clapboards, or shingled exterior side walls, besides a hundred little modernizations inside.

It's the kind of work that shows a good profit for the builder and contractor who knows his business; lots of times the builder's sales campaign for modernization work brings to light considerable new work, too.

> At any rate—why figure whether there are



Building on a Sun Porch is One of the Easiest and Best of Old Home Modernizing Projects.

ly066394

ity

be

d-

re 11



Appraisers are getting more efficient and know what to look for. High loans are the result of builtin value these days.

As the Appraiser Sees It

Things they tell us the sharp-eyed representatives of financing houses look for in reporting what a modern house is worth By JOHN WORTH

DON'T suppose anyone will stop trying to get a tenthousand dollar loan on a house and lot that cost only seventy-five hundred, but it's getting harder all the time.

Appraisers are getting more efficient, and now that a movement is under way to have such work done only by certified men having special training for it, it looks as though efficiency in finding out how much a house is worth will be carried to the nth degree.

Just to make sure that this situation doesn't get to the point where appraisers know more about what ought to be in a house than the contractors that build them, I have made a survey of the items they look for, most of which are shown in the appraiser's check-list on the next page. By going over this list carefully, and checking it against the houses you are building or contemplate building, you will be able to get a good idea of what loan-value the property will have. This appraisal list is the result of long study of and experience with the wants of home-buyers, and gives a pretty good indication of what the modern house should have to give it maximum value under present-day conditions.

It is obvious, from the appraising check-list, that appraisers are looking for good architectural design; efficient floor plans; up-to-the-minute, modern equipment; appliances and materials that are associated in our minds with the best standards of American homebuilding. But the efficient appraiser goes much farther than this in determining the value of a house. Some of he qualities he looks for are intangible, but nevertheless mportant.

For example, one of the first things any "Manual of 'ppraising" states is that the house must be suitable to its location. In other words, a twenty-thousand dollar louse on a street where eight-thousand dollar structures redominate suffers because it is out of its class. The ouse and lot must agree, for they are going to be

together a long time. A study should be made to see whether changes in the character of building in that locality will make the house seem out of place a few years after it is built. Re-zoning will very often have a marked effect on the value of a house from the appraiser's viewpoint. Shift in population, encroachment of apartments, entrance of business into a residential area, -all of these possibilities should be considered to determine whether the house will be suitable to the location not only at time of building but for many years there-

Standardized Style

Another thing the appraiser is taught to look for is style. He is told that the house must not be too out-ofthe-ordinary, unusual, or "peculiar." Certain standard architectural forms which have proved popular in the community over a long period of time are considered safest. The Colonial, Georgian, English or Tudor, or Spanish are recommended. This does not mean that all houses have to look alike. They should have individuality, but not eccentricity.

Appraisers are aware of the growing appreciation of good architectural design, and are giving higher rating to houses having it. They are looking for less useless ornamentation on the exterior, and more simple straight-

forwardness.

The modern house must combine usefulness with beauty, and the appraiser considers the floor plan of first importance. In fact, he considers an efficient, wellarranged floor plan of greater value than any other single item. So much stress is laid on this that it is apparent the contractor can hardly spend too much time studying and improving his lay-outs, and getting ideas for new arrangements wherever possible. Such magazines as American Builder & Building Age, which

APPRAISER'S CHECK LIST

	Ist				Ist				Ist		
ITEM	Class	Fair	Poor	ITEM	Class	Fair	Poor	ITEM	Class	Fair	Poor
MAJOR IMPORTANCE				LIVING ROOM				BED ROOMS			
Suitability to location	П			Adequate size				Adequate size	. []		
Architectural style				Good ceiling height				Ceiling heights	[]		П
Floor Plan				Windows				Exposure	🗇		
Landscaping				Doorways				Windows	🗆		
Does Equipment Fit?				Wall space for piano				Wall space for twin beds	🗆		
BASEMENT		-	-	Wall space for davenport				Wall space for double bed	[]		
Foundation walls			П	Wall space, other furniture				Wall space for dresser	. 🗆		П
Sewer		H		Floor finish				Wall space for chiffonier	🔲		
Waterproofing		H		Fireplace				Wall space for dressing-table			П
Cement floors			H	Electric outlets				Location of radiator or registe			n
Windows		H	H	Location of radiators and	_	_		Electrical outlets			П
Window bars		Н	H	registers				Lighting fixtures	[]		П
		H	H	Wall fixtures				Mirror door	. 🗇		П
Outside entrance Locks				Ceiling lights				Dressing room	. [П
Hot water heater				Location of switches				Closet space			П
Hot water coil				Decoration				BATH ROOM			_
Floor drain			H	Book cases		\Box	П	Tile floor		П	П
Sink or tubs		H		French doors				Tile walls		П	П
				Convenient location				Adequate size			П
Coal bin				View and exposure				Outside window			П
Coal chute								Clothes hooks		П	П
Chimney clean-out				DINING ROOM		[Chromium fixtures	П		H
Lights				Adequate size		Н		Drawers built in		ū	П
Outlets for washing machines,		_		Windows				Electric outlets	П	Ö	П
etc.				Doorways				Medicine cabinet	H		П
Shutoff cocks for water pipes				View				Mirror		ŏ	П
Fruit room				Exposure				Shaving lights			П
Extra toilet				Wall space for buffet				Silent toilet	П		П
Child's playroom	and the same of th			Wall space for china cabinet.				Shower			П
Heating system				Built-in cabinets				Built-in tub		Ĭ	П
CARPENTER WORK				Electric outlets				Towel racks		Ī	Н
Type of framing				Location of radiators or			_	Ample hot water	П		. [
Floors, first				registers		Н		Convenient location	П	ŏ	П
Floors, second				Ceiling lights				CLOSETS			
Windows				Side lights				Cedar lined			
Roof				Decoration				Dressing closet	H	П	Н
Sheet metal				Built-in features		H	H	Shelves	H		
Insulation				Floor finish				Hangers, hooks, fixtures		Ĭ	П
Steel Joists				French doors				Lights	H	ö	П
EXTERIOR				Convenience to kitchen				Wardrobe built in		H	Н
Siding				KITCHEN				Clothes chute		H	H
Shingles	П			Efficient arrangement				Linen closet		H	H
Face Brick			П	Windows				MISCELLANEOUS EQUIPMEN			
Common Brick	П	Ĭ		Exposure				Radio wiring			
Stucco		ŏ	ŏ	Sink				Wall beds	H	П	П
Stone	Second.	d	ŏ	Drain-board				Concealed radiation		Н	П
Combination		П	П	Table space				Luminous house number			П
HEATING				Dish-washer				Silent sash pulleys		ŏ	П
Boiler	П			Gas stove space				Transom ventilators		H	П
Furnace	П			Refrigerator space				Shutoffs for pipes leading to			
Radiators			П	Kitchen cabinet				different fixtures			П
Valves	П	H		Gas stove vent pipe				Weather stripping	H	П	П
System			П	Electric outlets				Insulation		ŏ	П
Oil Burner			П	Floor finish				Screens			
Thermostats			П	Lighting fixtures				Outside hose connections			
Coal Bin				Cupboards				Drapery hardware			П
Automatic Feed				Storage space				Clothes drier	П		
PLUMBING				Breakfast nook				GENERAL			
Piping				Broom closet				Front vestibule	П		
Covering				Built-in ironing board				Hall			П
Bath tub				Built-in table				Coat closet	П		
Lavatory				Ventilating fan				Stairway to admit carrying up			
Shower				Dumb waiter				furniture			
Sink			\Box	Incinerator				Stairway from landing to			
Toilets				Mixing faucet				kitchen			
Laundry tubs				Oven regulator				Concrete walks			
Water Heater				Package receiver				Concrete driveway			
ATTIC			_	Range—gas or electric				Garage			
Attic stairs				GENERAL APPEARANCE				Down spouts connected with			
Floor		Ħ	Ħ	Painting, outside				sewer			
Ventilation					Ī			Fences			
Windows		ŏ	d	Decoration			n	Clothes-poles			
Heat				Plate windows			ŏ	Cross ventilation			
Lighting fixtures			П	Sheet windows		ŏ	ŏ	Children's playground	n		
Play room		ŏ		Leaded windows		Ĭ	ă	Flower boxes	П		
Extra bedroom		Ĭ	П	Wrought iron			П	Garden seats			
Storage	Accorded:			Window sills	Ħ	ŏ	ŏ	Sun dial		Ö	
Insulation		H	H	Awnings		П	H	Trellis		Ö	
	_	_	-		-		_		Second	_	

The list shows items the appraisers look for in a house. Use it in checking your plans and insure a high rating before work is begun.

AGE

are constantly publishing new designs, are doing much

to help the builder in this respect. Landscaping and general appearance of the grounds and exterior equipment of the house are proving of greater importance in determining the appraiser's valuation of the modern house. The American people are growing more "park" conscious. The development of heautiful parks in every American city has taught them to want grass, trees, and shrubbery around their homes, and appraisers have found numerous instances where the house with attractive greenery about it has brought in many hundreds of dollars more than one with a bare lot.

Many builders now are making permanent agreements with good landscape architects who give them the benefit of their expert training at not too great expense. The untrained builder is likely to overdo his planting, or not to make the most of what he does spend on his landscaping unless he has the benefit of sound counsel.

Does the Equipment Fit the House?

One feature the appraiser pays much attention to and which is of great importance to the builder is the selection of equipment for the house. He must be careful not to put in better equipment than is warranted by the general standards of the house and the community in which it is located. For example, a good heating system is desirable, but an elaborate system costing a figure far out of proportion to the type of house will not be

worth the additional amount it costs. A small house cannot economically include two expensive bathrooms or a high-priced vacuum heating plant. That is, an appraiser is likely to point out that an average person considering the purchase of a house in the low-cost field would not be willing to pay the extra amount involved by this unusually expensive equipment.


Just as the house must fit the locality, the equipment must fit the house, and it is very possible to sink more money in unnecessary extras than can possibly be

gotten out.

In addition to all this, appraisers are studying up on good construction, and are putting down credit or discredit, as the case may be, in many instances that in the past they would not have known enough to consider. They are emphasizing sound, first-class construction throughout, regardless of the size or final value of the house. They know that cheap construction means a heavy burden of repairs in the future, and they are cutting down the appraisal value wherever they find the slightest indication of it.


In the long run, it is the value put into a house plus more intangible things, such as good taste, good insight into community conditions, and appreciation of the needs of people, that determine the value of a house, whether for loaning or other purposes. Appraisers are merely coming to recognize true value, and the conscientious, reliable builder cannot help but be benefitted by the fact that they are learning to recognize the worth of the work

he is doing.



of names and this diagram are from the new book, "How to Judge a House," just issued by the National Committee on Wood Utilization of the U.S. Department of Commerce, Washington.

- I. Footing.
- Foundation wall. Basement floor
- Porch floor.
- Pilaster.
- Window sill.
- Key stone. Transom.
- Column.
- 10. Entablature.
- Balustrade. Cornice.
- Fan window.
- Valley.
- Dormer window.
- Flashing.
- Shingles. Roof sheathing.
- Ridge.
- Common rafter.
- Collar beam. Jack rafter.
- Hip rafter.
- Purlin.
- Chimney cap.
- Chimney.
- Header.
- Bridging.
- Plate.
- Corner post. Sheathing.
- Building paper.
- Siding.
- Brick.



- 35. Water table.
- 36. Cleanout door.
- 37. Subfloor.
- 38. Finish floor.
- 39. Hearth.
- 40. Stair landing.
- 41. Casement window.
- 42. Fireplace. 43. Rough sill.
- 44. Mantel.

- 45. Ceiling joists.
- 46. Studding.
- 47. Floor joists.
- 48. Ribbon.
- Gutter.
- 50. Handrail.
- 51. Balustrade.
- 52. Newel.
- 53. Leader head.
- 54. Stair soffit.

- 55. Wainscoting.
- 56. Base.
- 57. Girder.
- Column cap.
- 59. Basement column.
- 60. Column base.
- 61. Joist.
- 62. Partition.
- 63. Lath.

BUILDER-DEALER TEAM WORK

The WISE Home Investor Will BUILD NOW

Lowest Building Costs in Years Skilled Labor Plentiful-Reasonable



We Give You the Easiest and Lowest Terms

and FINANCE up to 75% of Total Cost

READ over carefully the following features of our plan. Compare them with any other you have ever heard of. See how your interests are protected - how you are assured the utmost in home value for every dollar you spend.

- Certified Materials Used

- less than non.

 We Finance Up to 75% of Total Cost of Lot and House

 Very Initial investment is only 25% of the losset cast. So you can use that our investment in your hit
 flux yout—our Interests and yours are lipserical.

 This government of Victiman Time functioners and Managage Co. of Passack, N. 3.
- Guaranteed |
 Your home carries the full guarantee of the Atlance Lumber Corp. a local time of recognized responsibility. You are not ceeding with an expansion miles every which has no interest in your community except what it can get out of it in the way of business.
- Alliance Homes are built only by local skilled builders of known responsi
- We handle the complete project for you.

Why delay longer in building that home? Come to our office and get the complete story. Choose the house you want-then sit down with ou ilding experts and they will show you how our plan will operate Make that visit today.

san Authentic Woodwork Used Throughout All Alliance Bonded Homes





ALLIANCE LUMBER CORPORATION

WITH US - YOU DO BUSINESS WITH AN OLD -LOCAL RESPONSIBLE NEIGHBORHOOD FIRM-NOT AN ORGANIZATION MANY MILES AWAY WITH NO INTEREST IN THE WELFARE OF OUR COMMUNITY

Out-of-Town Competition Successfully Met by 75 Per Cent Home Financing Through Local Lumber Dealer, with the Skilled Local Builders Handling the Work

S a spur to home building activity the Alliance Lumber Corporation of Passaic, New Jersey, working closely with the skilled local builders, has launched a plan under which it will sell home construction and grant mortgages for three-fourths of the home value on a fifteen-year payment plan. This same plan is available to builders and dealers everywhere, and will no doubt be grasped with most alacrity in those towns where the mail order houses have been most active. The scheme was explained to an invited group of more than 200 builders on January 30 at a banquet in the Passaic City Club; and was enthusiastically endorsed by the builders and contractors present.

As explained by Benjamin Breinig of the Alliance concern, if a homeseeker owns a plot of ground held free and clear, the company will finance and supervise the construction of a home, the cost of which may run as high as three times the value of the plot. In the case of a person who does not possess the ground on which to build, the concern will undertake to supply ground and dwelling on a down payment of 25 per cent of the total cost.

Amortization charges and interest are arranged so that the actual cost of ownership of a home under the plan, beyond the one-fourth down payment, will be at the rate of \$8.44 per \$1,000 per month—or a "rental" figure of \$84.40 per month for 15 years until fully paid, for a dwelling the construction cost of which may be \$10,000.

The plan further provides that when an owner has paid 55 per cent of the mortgage he may if he desires establish the balance as a permanent loan.

It means much to the local home building industry in every community that by adopting this plan, they can match point for point the home financing offers of the great mail-order firms, which, during the past year, have made such inroads into the business of local builders and dealers in so many localities. Now, by making similar financial arrangements, the local builders backed up by their local lumber dealers can accept the challenge of these out-of-town concerns and in a twofisted aggressive manner strike in force at the one and only so-called advantage which these mail-order houses have to offer—namely, "easy payment" financing.

The truth of the matter is that the local dealer can undersell mail-order competition nine times out of ten, as has been conclusively proven by nation-wide surveys. It is the job of every dealer and contractor in the country to tear down the ridiculous notion held by millions of the American public that the mail-order

Notice particularly "Point 8"; all the

advertising features

the Local Builders.

house is the nation's lowest price source of homes and building

The Alliance Lumber Corp. was moved to action to stem ly

liance

ersey, lders,

con-

f the

same

and

those

most

iquet v en-

held rvise run

the lon

pply

the e at tal" ully

nay

has

hey of ear, cal by ers the

ses

an

111.

by er

ce

Ig

p.

ORK WINS IN NORTHERN NEW JERSEY

Prompt Adoption of This Plan in All Communities Seen as Most Effective Method of Stimulating Home Building and of Stopping the Mail Order Firms

the rising tide of mail-order competition in northern New Jersey when they saw thousands of dollars of business slip through their fingers and go out of town. They arranged with a local financing company to furnish the first mortgage money needed, amounting to 65 per cent of the total value. The Alliance Lumber Corp. itself supplies the second mortgage money and guarantees both first and second mortgage payments until the


owner has reduced the unpaid balance to 55 per cent; the average time required for this, with monthly payments of \$8.44 per thousand, is seven years. At that point the monthly payments can be continued, paying out complete in 15 years, or at the option of the home buyer the remaining indebtedness can be converted into a straight mortgage. Thus this enterprising dealer matches the mail-order financing setup point for point, with the very real extra advantage that their homes will be built of the best nationally known products only—and all work will be done by skilled local builders of known ability and prestige.


In short, they offer all that the mail-order house provides and more in the way of new home and modernizing finance time payments, plus many added advantages not to be obtained from any mail-order house.

not to be obtained from any mail-order house. Extraordinary ANNOUNCEMENT! Every Home Seeker in This Community Can Own an ALLIANCE BONDED HOME of Enduring Design This Easy Way-LIKE RENT Finance Up To 75% of Total Cost - At an Amazingly Low Interest Rate NOTE THESE ALL IMPORTANT Certified Materials Used parameter of the collected Lambur Casp, a tracel from of recognition requestioning. The exi-All ALLIANCE HOMES Alliance Homes are built only by local skilled builders of known responsibility and integrity. Designed by Registered Architects No Charge for this VALUABLE SERVICE passe from none on the day it is tool?. This garvice strang is priculess in its value in you, yet it come you not now cost additioned. De products too matter of design for your failure-was other single last is more impariant. Morgan Authentic Woodwork Used Throughout All Alliance Bonded Homes

This advertisement, run in full page size in Saturday's newspaper, brought 52 prospects into the office Monday. Ten of these have already been sold and work on their homes started.

PLANNING the Modern Chain Store





PLAN

Successful chain stores have developed certain standards which have been incorporated in their up-to-the-minute store buildings. The layouts vary according to the size of the property available; but the floor plan shown opposite gives a general idea of a layout which is used by one of the largest chain store organizations in this country. However, layouts differ as it is sometimes necessary to lease space as part of existing stores, in which case the layout has to be adapted to suit conditions.

There are certain features which anyone called upon to plan a modern merchandising space must consider essential, such as: the floor area required, window display, interior display, clear and unobstructed floor space, widths of aisles, accommodation of employes, freight

chute and storage of stock.

Floor Area Required: It has been found that for an average store a floor area of approximately 3,500 sq. ft. per floor is required for first floor and basement. The first floor is used for the display and sale of goods, a small toilet, office for management, and stair to basement. A freight chute is provided by means of which goods are sent to the receiving room in basement, where they are unpacked and stored.

Window Display: The show-window display is completely enclosed in attractive cabinet work, with parquetry flooring, sides and ceiling of paneling. Reflectors for electric light are located in space between store ceiling and soffit over store front window display, so that all wiring and fixtures are concealed; holes are cut in ceiling panel and reflectors are mounted above so that all light rays are uninterrupted and give maximum illumination. The electric lighting for the store front

Layout Pointers that Increase Store Profits

By the Consulting Architect of One of the Big Chains

window display is controlled by an automatic clock which turns the lights on or off as desired at any time.


Interior Display: Display in the interior of stores is accomplished by a series of shallow shelving, arranged along the side walls. This shelving is about 7 feet high. In addition to this, all counters have goods displayed on them. Provision is made for all necessary electric wiring, or any miscellaneous electric wiring arrangements, such as wiring for Christmas tree lighting, or other electrically displayed goods. Also, all necessary plumbing arrangements must be provided where counters are used for the dispensing of drinks or food. There are also usually glass signs suspended from the ceiling which indicate counter-numbers or type of merchandise, and are used to guide the buying public.

Clear and Unobstructed Floor Space: Intermediate columns, or any obstruction is considered a drawback and therefore a store is usually designed with clear span girders supporting ceiling or roof. These girders are resting on the outside wall by means of steel grillage so that pilasters are not necessary in the masonry. The same thing applies to the store front. Where a girder is designed to support the entire masonry over the plate glass windows, this is shown by section through front parapet wall and eliminates all columns in store front construction.

Widths of Aisles: It has been found that the most practical widths of aisles are between 7 and 8 feet in clear, permitting easy passage. However, where local conditions do not permit such width, aisles have been made as narrow as 5 feet; but this is not advisable.

Accommodation of Employes: In rear of first floor is shown a small toilet used by the management, and in rear of basement, a rest-room with connected toilet is provided. These rooms are ventilated as shown by section through rear wall at office, and where natural ventilation is not obtainable, mechanical ventilation must be installed. It is noted that the employe's division in basement is entirely separated from the store room for merchandise.

Freight Chute and Storage of Stock: In rear of building directly accessible to alley, a freight chute is installed as shown by detail, by means of which barrels and cases of goods are dropped into the basement, the curve of the chute absorbing the shock sufficiently to prevent breakage. The receiving department is located between the chute and the general storage in the basement. As goods are received, they are unpacked and stored on shelving which is provided in front part of basement. Ordinarily, all goods are carried to the first floor as needed. However, where goods require many changes daily, sometimes dumb-waiters are installed through the floor, supplying certain counters. Where bulky or heavy goods are sold, or groceries, elevators must be installed.





The House of the Month

Homelike Frame Dwelling with Plans That Offer a Number of Good Ideas for the Designers and Builders of Homes

O the designer and builder of homes every attractive and well planned house is a subject for study and a source of ideas. If he appreciates the merchandising value of design, he will analyze the plans and details to determine which points contribute most to total effect, and then will make them a part of his stock in trade.

He will select a detail here and there, an especially attractive doorway, an effective roof line, a beautiful

stairway, a clever solution of the closet problem, a convenient arrangement of breakfast nook, kitchen and dining room. These he will catalog, carefully indexing each item for future reference. The next time he develops a home design these references will be instantly available to help in developing the new plan.


Take the plans shown on the next four pages, for example. Here is a wealth of material for the builder who is a student of design, for here is a house which is distinctive in more ways than one. In its simple exterior the designer has achieved that much sought for homelike effect while, at the same time, recognizing and incorporating the most modern conception of garage building.

In the garage alone are several commendable points. Present day demand is all for the integral or built-in


garage, with its entrance most conveniently placed at the front. In this design such a garage has been provided, perfectly harmonized with the architectural style, and equipped with doors which in no way detract from the beauty of the house.

Equally important is the treatment of the doorway from the garage into the house.


The Designer and Builder will secure many suggestions from these plans. Next month a brick house will be detailed. THE RESERVE TO THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN C




Front Elevation, Vertical Section, and Details of the House of the Month. See next three pages for plans.



A Modern Basement with Game Room, Laundry and Lavatory, and Heater Room Fully Partitioned.



A Well Arranged First Floor with the Built-in Garage Opening Through the Vestibule Into the Hall.



Three Bedrooms, with Very Complete Bath Equipment, Ample Closets and Cross Ventilation.

The Built-in Garage, with a Door Directly Into the House, is the Ultimate Standard Toward Which Private Garage Construction is Tending.



GARAGE IMPROVEMENTS— The Builder's Opportunity in 1931

Garage Building Is a Live, Easily Sold Market Offering Profits in Direct Ratio to Quality of Design, Construction and Equipment—the Second of Two Articles

ABOUT half a million private garages will be built in the United States during the year 1931. Over two hundred million dollars will be spent on their construction. Not only that, but thousands of existing garages will be remodeled and modernized by those upand-coming builders who are awake to the possibilities of this live, easily sold, and highly profitable building market.

Some of the half million new garages will be little more than sheds, not worthy of the cheapest automobile that might be housed in them. Others will be properly designed, well built, and conveniently equipped. The proportion of the total which will fall in each of these groups will depend on the selling efforts of American builders and contractors. Their profits will be in direct ratio to the number of garages which fall in the properly designed, well built, and conveniently equipped group.

Private garage design has been going through a

process of evolution during the last few years, involving three distinct types of building. These are the detached type, a separate garage, entirely unconnected with the house; the attached type, actually a separate building but connected with the house; and the integral or built-in type, occupying a portion of the basement or first floor space.

All three of these types are being built right along but the tendency is decidedly away from the detached type, with the integral type being used more and more for the better class of residences.

The disadvantages of the detached garage are obvious. It is inconvenient to get to in cold or stormy weather; and it is difficult and expensive to heat. It was, quite naturally, the original type of garage, built before any thought was given to the problem of harmonizing the garage with the house and providing convenience. Where this type is still used it is now, as a rule,




A Battery of Individual Garages Is Usually Attached to an Apartment Building or Built Into the Basement, the Latter Being the More Modern Development. A J. G. Wilson Corp. Installation.



placed close to the house instead of at the extreme rear of the lot. It will be used less and less and for this reason should be avoided by the builder who must consider the salability of his houses.

The attached garage was the second step in the process of evolution. It was the first attempt to so locate the garage that it would be handy in bad weather and to make it join with the house as a single harmonious unit. In many cases it is built as an addition to an already existing house; and where a garage is required under such conditions is the natural solution of the problem. Great care and a degree of ingenuity are



Steel Doors Furnished by The Bogart & Carlough Co., Are Assembled at the Job and Raised Into Place as a Complete Unit.

Before the Day of the Modern Garage, Opening Into the

required, however, to make such an addition harmonize with the house.

In building an attached garage it is often possible to provide an entrance directly from the house into the garage which meets one of the important requirements of modern garages that they shall be accessible from the house without going outdoors.

In remodeling old homes, the attached garage is frequently used as an addition to one side, balancing a sun porch addition at the opposite side. This is an especially appropriate treatment for a Colonial design. One of its chief disadvantages is the increased cost of heating such an extension. Another is the fact that the doorway between house and garage can not as a rule be properly placed in relation to other portions of the house. point will be brought out in the discussion of the integral garage.

The integral type of garage is the ideal type and will undoubtedly become the standard type. In the Allwood development, in New Jersey, a feature article on which appears in this issue, forty-five hundred single family houses are being built, each with a garage as an integral part of the house itself. Nor are these houses in the high price class. They are all five and six room dwellings ranging in price from about \$6,000 to \$9,000.

The reason given for providing the Allwood houses with integral or built-in garages is: "Since automobiles have come into universal use, the garage has been made a part of every house. This is cheaper than building a detached garage, improves the house appearance and provides a heated garage, a feature thoroughly appreciated in the winter time when cold motors are so hard to start.'

In planning either the attached or built-in garage, its position in relation to the stair hall is a matter of primary importance. Convenience demands that the house entrance to the garage shall be from the stair hall. The reasons for this are obvious. If the house entrance is not from the stair hall it will be necessary to pass through living or service rooms in going to and from This is inconvenient both for the person the garage.

using the car and for other members of the family. With the garage entrance from the stair hall, it is also handy to the coat closet so that coats, hats and unbrellas may be disposed of handily when coming into the house.

The correct garage entrance arrangement is possible with the attached garage but is much more easily achieved with the built-in garage, whether it be a base-

ment or grade level type.

AGE

iże

to

he

its

m

e-

ly

ts

11 d


Where the house is built on a sloping site, it is quite simple to provide a basement level built-in garage, advantage being taken of the natural slope to provide a level garage approach. Level sites are, however, much more common than sloping sites and, in the case of the level lot, a basement level, built-in garage must have a sloping approach. This is entirely practical but care must be taken to see that the slope is not too steep for easy handling of the car.

Grade level built-in garages are now becoming more and more common. At first the tendency was to place these so that the garage entrance would be hidden at the rear. Now, however, entrances are being provided at the side and even at the front. The principal reason for the rear entrance was the desire to hide the large garage doors and conceal the fact that this portion of the house was a garage. This reason is no longer of

importance.

The automobile has become so definitely a part of modern living, and the garage has become so definitely a part of the home establishment that there is no reason for concealing the existence of the garage. At the same time garage door manufacturers have developed doors and equipment which, when properly selected and installed, add to rather than detract from the architectural effect of the house as a whole.


This factor of architectural effect is becoming increasingly important as public taste is becoming more developed. The home owning and buying public becomes constantly more exacting, a tendency which will continue to exert a wide influence from year to year.



A New, Double Width Door, by the Crawford Door Co., Reduces the Required Width and Cost of Building the Double Garage.

element of convenience, that the built-in garage is now recognized as the ultimate standard for private garages. It is much simpler to achieve a desired architectural effect in a single unit than it is in combining two units or in designing separate units.

One very important point which must be considered when planning the house garage is the question of the number of cars to be housed. It is the consensus among real estate men that every private residence should be provided with a double garage, and the failure to do so is a decided handicap either to renting or selling. This fact will be more generally recognized as





A Basement Level Garage Requires Proper Drainage to Prevent Accumulation of Water at the Entrance. A Beeman Door Control Co. installation.

time goes on, for many of the automobile manufacturers are spending large sums of money in advertising the idea of a second car for every family.

While the cost of providing two-car space in the garage is somewhat greater than for providing one-car space, the additional cost is relatively small. Especially is this true in the case of the built-in garage which occupies basement space. The space used would otherwise, as a rule, be merely waste space. It is already enclosed and floored and the principal difference lies in the extra door equipment. This is a minor item in the total cost of the home and, because of its renting and sales value, well worth the expenditure.

In determining the size of the private garage the builder must take into consideration the kind of cars which it is likely to house, and their over-all dimensions. This is really a simple matter as a little observation

Right: This Operating Mechanism, Made by P. & F. Corbin Co., Makes Swinging Doors Easy to Handle. Below: There Is a Big Market for Garage Door Hardware and Installation Work in the Service Station Field. An installation by the Majestic Co.


will show that persons owning homes in any certain price class will, as a rule, own cars in a corresponding price class.

When it comes to the building of the garage, the general construction involves nothing which is outside the experience of every builder. There are, however, three points which should receive greater consideration than they have been given in the past. These are insulation, windows, and ventilation.

In the case of the built-in garage the question of insulation is simplified by the fact that the garage walls are simply the house walls and are provided with the same insulation as the rest of the house. But for attached and detached garages special attention should be given to insulation.

While it is not necessary to maintain as high a temperature in the garage as in the living rooms of the house, during cold weather, the temperature should be kept sufficiently high so that there is no discomfort in going from the house to the garage; so that there is no danger of frozen radiators in case of a sudden drop in temperature, and so that the car will start easily even in the coldest weather.

It is, of course, essential that the walls and floors between the garage and the other portions of the house should be of fire-resistant construction. This is usually demanded by local building codes. In line with this it is also necessary that the garage side of the door leading from the garage to the living portion of the house should be metal covered, another usual building code requirement.





tain

ding

gen-

the

ree

han

1011.

of

alls

the

atbe

2111-

the

be

in

is

op.

ren

ors

ise

llv

or

he

ng

Ample windows should be provided in the outside walls of the garage. There is no reason why it should not be as light and pleasant as the rest of the house, especially when the owner spends considerable time in the garage tinkering around the car. Ventilation, too, is essential. A leaky radiator, or washing of the car, would make for dampness without ample ventilation. Even more important is the matter of safety. With a well ventilated garage there is little danger from the deadly monoxide gas even in case of carelessness. Ventilators can be placed in the walls close to the ceiling. The louvre type serves the purpose most effectively, permitting good ventilation but excluding rain and snow. Garage floors should be of concrete. They should be

Garage floors should be of concrete. They should be laid with a pitch of one inch to six feet toward a center drain which carries off water when the car is washed, when the radiator leaks or when it is necessary to flush

out the garage with a hose.

Where a basement garage is reached by a sloping approach, it is necessary to provide further drainage to prevent water running down the incline into the garage whenever there is a heavy rain or when snow is melting. One excellent way to accomplish this is to make the last few feet of the approach slope up instead of down and to place a drain at the point where the upward slope starts. This keeps the water from running into the garage or accumulating in front of the doors.

Such a drain can either be connected with the sewerage system or a dry pit can be dug under it. The drain should, of course, be placed in the center of the driveway to avoid possible breakage from the automobile

wheels passing over it.

In planning the modern garage the selection of door equipment is of first importance. A complete analysis of products of most of the manufacturers of garage door equipment was published in the February issue of the American Builder and Building Age. This information was tabulated to serve as a ready reference guide in the selection of door equipment, and the general characteristics of the various types were discussed in the article. From this information the builder can

Right: An Upward-Acting
Door with an Unusual Type
of Spring Mechanism Manufactured by the McKee Door
Co. Below and to left: The
American Sash & Door Co.
Offers an Upward Door
Which Is Almost Self-Operating.



A Sliding-Folding Type of Garage Door, with One Section Swinging for Use as a Service Door Is Made by the Stanley Works.


easily select the general type of equipment he wishes to use or which is preferred by his client and by writing to the manufacturers of this type can, by the most direct method, secure complete information on which to base his selection of a particular make.

Lighting the garage is of more importance than is generally understood. Every automobile owner knows how inconvenient it is to try to do even the most trifling bit of work on the car in a half-lighted garage. An overhead light, of ample strength, and with a reflector, placed directly over the hood of the car, is worth its price when anything must be done to the motor.

Washing equipment is desirable in many garages. It is a simple matter to provide an overhead tap to which a hose can be attached for convenient washing. Such equipment will be appreciated by prospective buyers and will help close the sale of the house when it comes to

convincing the man of the family.

Finally, it is well to provide shelving, open or enclosed, for the storage of sponges, chamois and clothes, for extra parts, and the many other small items which the car owner accumulates. It keeps them from getting in the way or getting lost, helps to keep the garage neat and simplifies keeping it clean. This convenience is not costly but is appreciated by home and car owners.



How to Build Better

The First of a Series of Articles on Frame House Construction*

By N. S. PERKINS

Construction Engineer, National Committee on Wood Utilization, U. S. Department of Commerce

OWEVER carefully a building may be framed, or however ruggedly it may be built, an inadequate foundation will result in uneven settlement, cracking of plaster or bathroom tile, ill-fitting doors and windows and other difficulties which will offset, to some extent, the advantages of good work in the superstructure.

Pier or column footings under girders of the average building carry loads much greater per square foot than do those under foundation walls. A dwelling with one girder and one supporting post at the center is illustrated in Figure 1. A post footing 2 feet square under




Fig. 1. A Post at the Center of a Girder in a House, Framed as Above, May Support One-fourth of the Total Weight of the Building. Ten times the weight per square foot carried by the wall footings.

such circumstances will often carry ten times the weight per square foot that is carried by the wall footing. According to the principles developed in the discussion of columns, if the building shown weighs 50 tons, 12½ tons are carried by the center footing alone. This, for a footing 2 feet square, which is not unusual, is over 3 tons per foot; and may be more than the soil will carry without settlement. On the other hand, the 37½ tons carried by the wall footings, because of their greater area, will amount to only about a quarter of a ton per foot. The load on each pier footing should be figured, and footings should be made large enough, to

carry loads per square foot that will not exceed those given.

The following should be carefully observed in all

footings:

1. Footings should be of ample size, as follows: For hardpan or very firm, well-drained soil, not less than 1 square foot of bearing area for every 4 tons weight; for firm, well-drained sand or clay, 2 tons per square foot; and for wet sand or clay, or for loam, not over 1 ton per square foot. This rule can be modified slightly where local experience justifies it.

2. Depth of pier footing should be equal to about half its longest side unless it is reinforced with steel rods. (For this reason, square pier footings are more

economical.)

3. Excavations for all footings, particularly pier footings, should be carried below the soft loamy surface soil.

4. In sections where frost prevails, outside footings should extend below any possible frost line. This will range from $1\frac{1}{2}$ feet to $3\frac{1}{2}$ feet or even more below

grade, according to locality.

5. Tile drainage, level with the footings, should be provided on the uphill side of all foundation walls built into a side hill, or where there is evidence of springs, or where experience in the locality indicates possibility of trouble from ground water. (See Fig. 2.) If tile drains are provided, they must be continued to some suitable outlet where the water which collects in them can run off freely.

6. Because of likelihood of settlement, no permanent building should be erected on fresh fill. For deep fills, two years or more should elapse before building; and then the footings should be increased in size from half again to double the normal size. In extreme cases, steel reinforcement is required. It should be remembered, for such conditions, that the pier footing is the weakest spot. In such cases an engineer experienced in foundation work should be consulted.

7. The underside of footings should be flat and hori-

zontal. (See Fig. 3.)

The best of materials and workmanship for plaster and interior trim will fail to give satisfactory results unless the underlying framework of a building is strong and rigid. Durability, tornado and earthquake resistance, freedom from cracks and settlement, all depend in part on a good framework.

*Being Chapter I of the new book, "Light Frame House Construction," issued by the Federal Board for Vocational Education, J. C. Wright, Director, in co-operation with the National Committee on Wood Utilization, Axel H. Oxholm, Director, U. S. Department of Commerce, Washington, D. C.; reprinted by permission.





Fig. 2. To left. In Damp Soils a 4-inch Tile Pipe Should Drain the Footing and Discharge Into a Suitable Outfall.

Fig. 3. To right. Broad and Flat Footings for Foundation Walls and Basement Columns are Much More Effective in Preventing Settlement than are Undersized Footings with Rounded Surfaces.



those

n all

: For

than

ight; juare over lified

bout

steel nore foot-

face

ings

will elow l be valls

of ates 2.) I to

ills, and nalf ses,

the ced

ter alts ang isand


PARTITION CAP BRIDGING PLATE STUD - PARTITION CAP ROUGH FLOORING-BRIDGING DIAGONAL PACESTOF NOTE-STANDARD SPACING
FOR STUDS SHOULD BE
16 INCHES CENTER TO
CENTER TO RECEIVE
WOOD LATH.
JOISTS ARE ORDINARILY
SPACED SIMILARILY UNLESS
FURRING STRIPS OR
STRAPPING ARE USED.
ROUGH FLOORS WHERE
LAID DIAGONALLY GIVE ADDITIONAL STRENGTH TO THE
STRUCTURE BUT WHERE LAID
HORIZONTALLY ECONOMY
OF MATERIALS IS OBTAINED.
EXTERIOR WALLS SHOULD
DE DRACED WITH DIAGONAL
BRACES FOR STIFFENING BRACES FOR STIFFENING PURPOSES WHEN HORIZON-TAL SHEATHING IS USED. Fig. 4 BALLOON FRAME CONSTRUCTION

No two men will frame a building in the same manner, nor is there general agreement among carpenters as to which is the best framing for a given condition. Light frame construction, however, may be classified into three more or less distinct types: 1. Balloon frame, 2. Western or platform frame, and 3. Braced frame.

Combinations of these types in one building are some-

times made, but usually are not advisable for reasons which will appear hereafter.

The principal characteristic of balloon framing is the use of studs extending in one piece from the foundation to the roof; the joist ends being nailed to the studs, and also supported by a ribbon or ledger board let into the studs. Figure 4 illustrates the balloon type.



The platform or western frame type, Figure 5, is distinguished by floor platforms independently framed; the second and third floors being supported by studs one story in height. Its chief merit, in strictly all-lumber construction, lies in the fact that if any settlement, due to shrinkage occurs, it will be even and uniform throughout and so be unnoticeable. This type should

be avoided with brick veneer or with masonry-walled buildings for either outside or inside construction. Special framing methods are necessary around chimneys, whether interior or exterior, and special precautions should be taken in flashing around chimneys and vents.

The braced frame (Fig. 6) is the oldest type in this country, having been brought over from England in

GAP

ING

CAP

CED G

BE

AL

PARTITION PLATE JOIST PARTITION CAP ROUGH FLOORING 5TUD-TEDRACE DROP GIRT NOTCHED & PINNED SOLIO GIRDER LEDGER STRIP ROUGH FLO NOTE - STANDARD SPACING FOR STUDS SHOULD BE 16 INCHES CENTER TO CENTER TO RECEIVE WOOD LATH.
JOISTS ARE ORDINARILY
SPACED SIMILARILY UNLESS
FURRING STRIPS OR STRAPPING ARE USED. ING ARE USED.
ROUGH FLOORS WHERE LAID
DIAGONALLY GIVE ADDITIONAL
STRENGTH TO THE STRUCTURE BUT WHERE LAID
HORIZONTALLY ECONOMY
OF MATERIALS IS OBTAINED.
EXTERIOR WALLS SHOULD
BE BRACED WITH DIAGONAL MASONEY WALL BE BRACED WITH DIAGONAL BRACES FOR STIFFENING. PURPOSES WHEN HORIZON-TAL SHEATHING IS USED. KNEE BRAGES RESORTED' TO IF A WINDOW IS CLOSE TO CORNER. Fig. 6 BRACED FRAME CONSTRUCTION

colonial times. Though in considerably modified form, it is still followed in certain sections, notably in the New England States. Originally, this type was characterized by heavy timber posts at the corners, often with intermediate posts between, all of which extended continuously from a heavy foundation sill to an equally heavy plate at the roof line. At the second story were

introduced heavy timber girts running from post to post, carefully mortised and tenoned with oak pins. The studs, therefore, served merely as fillers, making what we now call curtain walls

what we now call curtain walls.

With the introduction of cheap nails, modern tools and hardware, the type has gradually been modified and is still undergoing change.





ON THE JOB Handling


BRANCH INCLINE facilitates handling of materials on this Madison, Wisconsin, job of the Way Building Company.

This is the first of a series of "On the Job" photographs showing how American builders work. The editors will welcome job shots from readers.

PLATFORM DERRICK used by Robert L. Reisinger, South Bend, Indiana, in apartment construction.







SAND SCREEN, light-weight, homemade variety used by A. Fleischer, Albuquerque, N. M.

DERRICK used to hoist materials, top of platform. Note sound construction, safe runways, convenience for working into both buildings.

B

WITH BUILDERS

Materials

PLACING CONCRETE by wheelbarrow on residence at Albany, New York. David Graun, Builder. Note U-shaped plank runway to facilitate.



LONG RUNWAY placed for use of hod carriers instead of ladder. Enterprise Building Company, erecting apartment building in Providence, R. I.

MATERIAL STORAGE HOPPER built on the job by Hegeman Harris Company, Nashville, Tennessee. (Left below.)




SAND SCREEN used by John Hill, Pittsburgh, Penn. Lightweight, easy.



Installs Plank, Parquet and Strip

Floors, Resurfaces and Refinishes Old Ones in Detroit, Mich.



Years by Mr. Cunningham, Who Furnishes and The Success Story of Fred Cunningham, Floor Contractor



In Five Years Fred Cunningham Rose From a Man with a Job to a Man with a Business
—An Independent, Prosperous, and Growing One. How he did it is a story that is particularly applicable today to those men in the building industry who have come through the depression with their faith in the future still buoyant. It is a story that will be repeated many times in the next years.

HIS is a story which will probably be repeated thousands of times in the next few years in this country where men with brains, ambition, and willingness to work are constantly coming up from the ranks to independent control of a business of their own. It is a story that is particularly worthwhile right now, when so many men in the building business are discouraged by the two lean years that have passed and are wondering whether it holds any prospects of better fortune for them in

For those who need encouragement, the story of Fred Cunningham will be a real stimulant. Five years ago he was working in Detroit, Mich., on a salary, with nothing but his native American ability and a desire to get ahead. Today he is the head of a prosperous floor contracting business in the same city, giving constant employment to fifteen men, and is the owner of the dozen or so floor surfacing and polishing machines, four motor trucks and other equipment necessary for the conduct of a good-

The conditions that made Fred Cunningham able to build up a successful business of his own are being repeated in the industry today and men with the same initiative and drive will do again what he did. That is why the building situation is not as gloomy as some would paint it. For two years residential construction has been at unusually low levels. But while building has lagged, wear and tear, fire, depreciation, and obsolescence have continued with unabated activity. Population has increased; people have been saving money instead of putting it in the stock market. This means that before long there will be a new and increased demand for houses, which will bring increased work for floor contractors. In addition, a new field is being opened up for men in this business in the resurfacing and polishing of old floors; this, too, means more business. Many readers of AMERI-CAN BUILDER AND BUILDING AGE will want to follow the course set by Mr. Cunningham. Here are the details of his trip to

A cabinet-maker by trade, Fred Cunningham spent 25 years working in various kinds of wood. In 1925 he was just like millions of other employed men in this country, anxious to own his own business but unable to get a start. He must have been a valuable and loyal employee, however, for the builder for whom he worked showed great confidence in him.

At this time the builder was having a great deal of trouble with his residential floors, and Mr. Cunningham persuaded him to put him in charge of this work. After considering the matter from all angles, the builder bought an inexpensive sanding machine and put Fred in complete charge of the work. In one way it was a generous thing to do, but in another, it was simply good business. Cunningham, as an independent floor contractor, did just the kind of work wanted. He puts it:

"I started out with the resolution to look at every job as a special job that should receive my very best care and workmanship. I made every effort to give quality work, and took the same interest in every job as I would if I were having the work done for myself."

This splendid ideal must have paid, for in a little while, he relates, his work started to increase and kept on until he bought the equipment his builder friend had started him out with. He continued to do such good work that more business came in, making it necessary for him to add more equipment. He

and

hes

ds

lv

ht

be

in

g

says:

"We tried to do our work in such a manner that we could go back and look any client straight in the eye, knowing we had a satisfied customer. We aimed to keep the best equipment that could be bought, and give every client the best possible job that mechanical training and honest efforts could produce. Through these efforts we held our clients year after year, and our business has steadily increased."

Today Fred Cunningham is head of the organization of men and equipment shown in the picture at the start of this article, and in addition to sanding and scraping floors, he sells strip, plank, and parquet flooring and does the entire work of laying, finishing, waxing and polishing. Some of the important jobs he has done in the Detroit area include the Intramural Athletic Building, Ann Arbor, 140,000 square feet; Jefferson Beach Dance Hall, 22,000 square feet; alteration job, General Motors Building, 76,000 square feet; Parke Davis Company cafeteria, 12,000 square feet; Hudson Motor Company, office alteration, 11,000 square feet; Packard Motor Car Company, trim room, 13,000 square feet.

In addition Mr. Cunningham's organization has done the plank and parquet floor work on such residences as that of O. I. Currier, Grosse Pointe Farms; Lee Baker, banker, and J. L. Park, also of Grosse Pointe Farms; Bruce Anderson, Lansing, Michigan; Harry H. Wolfe. Toledo, Ohio; Bernard Kuhn, St. Clair, Mich.; Fred Paterson, Orchard Lake, Mich.; and many others. Cunningham has specialized in new floor work, but

THE HISTORY OF THE PAST POINTS THE WAY FOR THE FUTURE. AMERICAN BUILDER AND BUILDING AGE WANTS MORESTORIES LIKE CUNNINGHAM'S. SEND YOURS AND GET A CHECK.



Instead of Working as a Cabinet Maker, as He Did For Many Years, Mr. Cunningham (Shown at the Right) Now Directs His Crew of Men in the Performance of Such Jobs as This One—Resurfacing the Floor of the Chrystal Ballroom, Book-Cadillac Hotel, Detroit.

points out that especially in the spring there is a large demand for refinishing of old floors in homes that are being modernized. He also does quite a bit of floor waxing and polishing, but has not gone after this branch of work very strongly, although he considers it a good field.

Advertising of the business is done by sending blotters with a picture of the organization as shown above, to architects and builders. An advertisement is also carried in the classification section of the telephone directory. Mr. Cunningham points out that the greatest volume of his work comes from repeat jobs from regular customers and new clients obtained through recommendations of men who have liked his work.

This is essentially the story of Fred Cunningham's rise from cabinet maker to prosperous business man, but there are a few more facts for those who are interested in the situation as it is today. Most men start out primarily to specialize in smoothing up and sanding newly laid floors, but as a result of the great modernizing movement that has swept the country, they have found an increasingly large field in the resurfacing of old floors. It is possible for men with no more capital than Fred Cunningham had to start business, due to the liberal terms on which equipment is sold, which allows the contractor to pay for it after he has got his business under way. In addition, advertising material, post cards, folders, business cards, and advice and information on ways of building the business are supplied with the equipment, if it is desired.

Practical Job Pointers

Make Closets Dust-Tight

THE sketch shows an idea which helps to make a house more desirable and so easier to rent or sell. Before applying the finish floor in all closets, I nail furring strips at every joist, over the sub-floor. I then apply the finish floor over these furring strips, making the closet floor one thickness


higher than the room floor. The closet door then closes against the closet floor, making the closet dust-tight.

A Readers' Exchange of Tested Ideas and Methods, Taken from Their Own Building Experience. Two Dollars Will Be Paid for Each Contribution Published in This Department.

Jack for Cleaning Bricks

FORM or jack, for holding brick when it is necessary to clean old mortar off them, is shown in the sketch, which is self-explanatory. It is made of a length of two by four and two blocks nailed onto it. I have used this jack for quite a while and find it very convenient. Since the idea was orig-

inal with me it is probably not known to many and I thought it might be worth passing along. The triangular



A Raised Floor in the Closet Keeps Out the Dust.


FRANK L. LIZA, 1471 Dixwell Ave., Hamden, Conn.

To Patch a Bad Knot Hole


N order to do a good job of patching black knots in furniture or any wood work, cut out the defect in any suitable shape and size, but preferably a diamond shape as glue holds better in the sharp angles. Select a piece of the same wood, with grain as nearly like the piece to be patched as possible. Chalk the edges of the hole, lay the other piece on it with the grain parallel, and strike with a hammer.

Saw carefully to the lines obtained in this way on the patching piece, bearing in mind that the line is the outside of the hole. The patching piece will then fit perfectly and, because of its shape, can be glued firmly in place.

FRED VANDER WERFF, Box 217, Lansing, III.



A Patch of This Shape Can Be Glued Securely and Matches the Grain.



This Is Handy When You Have to Clean Old Mortar Off of Bricks.


shaped blocks are also cut from two by four.

M. E. Couch, 1610 Thayer Ave., Little Rock, Ark.

Screen Drying Rack

HE sketch shows a rack which I have found very useful for holding screens while the paint is drying. The upright piece, with the overhanging cross bar, is adjustable to the height of the screens. It is kept in position by means of a common wood screw. There is a row of small holes in the cross bar, spaced two inches apart, and large enough to allow an eight-penny nail to drop into them loosely but not large enough for the nail head to drop through.

For use, the upright is adjusted so that the cross bar is at a height above the base one inch greater than



A Simple Drying Rack for the Screen Painter.

the height of the screens to be painted. When the first screen has been painted it is placed under the cross bar leaning against the upright. A nail is dropped into the first hole and the second screen leans against the nail. Another nail is dropped for the third screen, and so on till the rack is filled.

It is well to have two of these racks so that one can be adjusted for the first story windows and the other for the second story windows, which are usually of different height. For drying whole window screens, the screens can be placed crosswise to fit into the rack.

H. N. ROWLAND, Parkerford, Pa.

AGE.

cks

brick

in old

ketch,

made

1 two

d this

very

orig-

nd I

gular

Ark.

ing

ole iail

ick

an for


mt

an

Pa.

For Nailing Base-Board

N the November issue, the Practical Job Pointers Department contained an item on nailing base-board. This method was all right but here is a better one. Nail a strip of ¾-inch board to the studding, fitted down against the sub-flooring. This board should be the same width as the base-board. The ¾-inch thickness is the same as that of the lath and plaster so that this board services as a guide in applying the plaster.




The Board Nailed to the Studs Forms a Base for Nailing the Base-Board.

This forms a nailing base for the base-board so that it can be nailed securely at any point without trying to nail to the studs. It also serves to but the finish flooring against and gives better results and easier work in floor laying.

E. K. STEIN, 4517 159th St., Flushing, N. Y.

Convenient Portable Drawing Table

THE sketch shows a light, portable drawing table that I have found very popular among builders. It folds flat and so can be carried easily from the office to the job or wherever wanted. The top is made of three-ply panel, screwed



This Table Folds Flat and Can Be Carried Anywhere Quite Easily.

securely to two pieces of ¾ by 15%-inch pine. The legs are of the same size material. The "link" D-C is fastened at C to the top frame and at D to the leg with ¼-inch carriage bolts.


The dimensions shown are suitable for use with a chair. In altering these dimensions to obtain other heights it is necessary to retain the relative dimensions: A-B plus B-C equals A-D plus D-C. The legs should be braced at the back, D-E being above A, and B-F below A, with 3/8 by 3/4-inch material.

J. E. DEALY, 3644 W. Vernon Place, Los Angeles, Cal.

Leveling Joists for Bridging

T is necessary, sometimes, to force floor joists up to a common level when applying bridging. The simple device shown in the sketch is very effective for this and is quickly made. I first lay a piece of straight two by six, on edge, across the span of joists, parallel with the row of bridging that is to be applied and about a foot from the center of the span.

Next take a piece of two by four about two feet long and nail to it a piece of one by four, as shown in the sketch. Saw out a notch near the opposite end of the two by four. Place this clamp with the cross piece under the joist and with the notch barely protruding above the two by six. With a wreck-




Here Is an Easy Way to Jack Joists Up Level.

ing bar hooked into the notch, and the two by six as a fulcrum, it is an easy matter to force the most stubborn joists to their proper level and hold them till firmly spiked to the two by six. The two by six then holds them until bridged.

PAUL F. ENGEL, Route 1, Hanceville, Ala.

Finding Board Feet in a Disc

EVERY once in a while we find it necessary to know the number of board feet in a circular disc, such as might be used for a tank, vat or barrel head or a circular cover, or some such purpose. In fact circles are common in building. The scale shown in the sketch, shows at a glance the number of board feet in a circle of any diameter varying from one to sixty inches, and one inch or less thick.



For example, to find the number of board feet in a disc 30 inches in diameter and one inch thick. Find the figure 30 in the column A and the opposite point in the column B, which in this case is five, is the correct number of board feet. In other words, simply find the diameter in inches in the column A and the opposite figure in column B is always the number of board feet in an inch thick disc. For a disc more than one inch thick simply multiply by thickness in inches.

W. F. SCHAPHORST, M. E., 45 Academy St., Newark, N. J.



There's a beautiful Crawford Overhead Door model to harmonize with every architectural design! Special designs available at moderate costs. Above is a typical two-door installation.

GARAGES STYLED FOR


With the introduction of the unique new Crawford Overhead Door, beauty now becomes an asset available for every garage. The sales possibilities are enormous!

Crawford Overhead Doors are made in a variety of the most artistic designs, yet are offered at a cost far below the average!

Simplified Operation . . . Low Price

The patented mechanical design of the Crawford Overhead Door is amazingly simple. Doors are installed *in one piece!* In opening, they lift straight up 2 inches, then roll smoothly and silently overhead. Rugged, weathertight, easy to install and operate.

Due to this simplicity, Crawford Overhead Doors can be offered at list prices as low as \$39.50!



The Crawford is the original one-piece overhead door. Easily installed by one man. Hardware comes ready-attached to 2" x 4" wood struts.

CRAWFORD OVERHEAD

Made by CRAWFORD DOOR COMPANY, Detroit, Mich.

Distributed East of


PAINE LUMBER COMPANY, LIMITED

FOR ADVERTISERS' INDEX SEE NEXT TO LAST PAGE



The standard model Crawford Overhead (shown above) list only \$39.50 complete with hardware, less lock, f.o.b. factory.

FINEST ARCHITECTURE



Lifts straight up 2 inches to clear ice and snow. Then rolls smoothly overhead and inside the garage. Only 4 inches headroom required.

with CRAWFORD OVERHEAD DOORS

To adapt present hinged doors or new doors of special design for modern overhead operation, separate Crawford Overhead Hardware is readily obtainable.

A Quality Product . . . Investigate!

All Crawford Overheads are supplied in No. 1 Pine with finest workmanship throughout. Their beauty, simplicity, quality and economy combine to make them the biggest sales opportunity in the field today.

Ask your lumber dealer or mail the coupon for complete information.

DOORS DETROIT.

Rockies by OSHKOSH, WISCONSIN

Paine Lumber Co., Ltd., Oshkosh, Wisconsin.

Please send me complete information on the new Crawford Overhead Door.

Name.....

A.1.1----

☐ Architect ☐ Lumber Dealer ☐ Builder ☐ Prospective Owner

A-

WHEN WRITING ADVERTISERS PLEASE MENTION THE AMERICAN BUILDER AND BUILDING AGE

Questions of Law Clearly Answered

Legal Rulings of Interest to All Builders By M. L. HAYWARD

Costly Neglect

A BUILDER gave Black a note, and Black pledged it to a West Virginia bank as collateral security for a loan.

When the note fell due, Black demanded payment

from the builder.

"The note is in my safety deposit box at the bank, and I'll mail it to you tomorrow," Black agreed—and

the builder paid the note.

Black, however, did not pay his note to the bank, the bank sold the pledged note according to the terms of the collateral agreement, Green bought the note, sued the builder, and the latter set up the defense that the

note had been paid.

"It is very unfortunate that the builder paid Black without demanding his note. In giving the note he was bound, however, to take notice that someone other than the payee might legally possess it at maturity. The builder, therefore, paid Black and accepted Black's excuses for not producing the note at his peril," said the West Virginia Court of Appeals, in deciding that the builder was bound to pay the note the second time.

When Is a Guarantee Valid?

THE contractor had just signed up a contract for the consolidated school building and was discussing the matter with the president of the Mejax Lumber Com-

"I see that you have to give the usual guarantee, signed by at least one good and responsible party, providing that you will carry out your contract according to the terms thereof" the president suggested.

to the terms thereof" the president suggested.

"That's the point, and the only question is, who will I get to sign that guarantee?" the contractor queried.

The president tapped the blotting pad with his pencil,

and made no attempt to follow the convenient lead.
"I'll need at least \$130,000 worth of lumber if I get
the contract," the contractor remarked.

The president "bit."

"And we can sell you better lumber at a closer price than any other concern in the State of Texas," he de-

"If your company will sign that guarantee for me, I'll buy every foot of the lumber from you," the contractor declared. "If I don't land the contract, the Brewer Construction Company gets it, that's a settled point, and you can imagine how much lumber you'll sell them with that big mill of their own up at Swan Siding."

Half an hour later the contractor departed, bearing with him the guarantee of the Mejax Lumber Company, under its corporate seal, and signed by the president and general manager.

Three months later the contractor fell down on the job, and the creditors were howling around the office of the president of the Mejax Lumber Company.

"You signed a guarantee and you've got to stand behind it," was the chorus of the creditors' song.

And the president consulted the company's attorney. "Forget it," the attorney advised—evidently relying on the case of Bowman Lumber Company vs. Pierson, 221 Southwestern Reporter, 930, where the Supreme

Court of Texas ruled that a company authorized to deal in lumber generally has no power to guarantee a contract of a third party merely for the purpose of enabling the lumber company to sell lumber to that third party.

"The pledging by a company of its credit for another's benefit as a means simply of enabling him to purchase its goods, is not a direct, and hence not a legitimate means of promoting its own business," said the Court in the Bowman case, and there are a few other courts which have arrived at the same conclusion.

It was lucky for the Mejax Company that it was in Texas, however, as the weight of authority is that such guarantees are generally binding, and there are Illinois, Michigan, Minnesota, New York, Oregon and Wiscon-

sin cases upholding this rule.

An outstanding case where the guarantee was upheld is Woods Lumber Co. vs. Moore, a decision of the California Supreme Court reported in 191 Pacific Reporter, 905. The evidence showed that the Goldstein Company was selling "movie" costumes to the Continental Company, and, in order to sell such costumes the Goldstein Company guaranteed an account of the Woods Lumber Company for lumber used in the production of the film, in which the costumes were to be displayed.

In ruling that this guarantee was binding on the Goldstein Company, the Supreme Court of California says:

"In a business view the guaranty appeared to be essential to enable the Goldstein Company to obtain payments upon its contract with the Continental Company. It was to be reasonably expected that the making of the guarantee would advance the business of the Goldstein Company, and would secure to it the payment of the debt that would be due to it from its customer, the Continental Company. It was a thing helpful to the conduct of its business, and tended directly to promote the same. All of these things are sufficient to bring the contract of guarantee within the scope of the implied powers of a corporation."

Cash and Credit

If A gives a builder a check on the C bank, the builder must present the check for payment at the bank on which it is drawn. If, however, he presents the check at the bank, and says, "I demand payment of this check in cash," and the paying teller says, "no funds," or words to that effect, he has a right of action against A on the dishonored check.

Suppose, however, that the builder does not demand the cash, but requests the bank to place the check to his credit, which the bank refuses to do. Is this a sufficient presentment?

"You should have presented the check and demanded the cash," A contends.

"If the bank wouldn't place it to my credit, they wouldn't pay the cash, and the refusal to credit it to my account was equivalent to a general refusal to pay," the builder maintains, and the courts have ruled in his favor on this point.

deal ract the

anto t a said few ion.
in in uch ois, on-

eld the Reein onnes the robe

ld-

be

11-

ng

he

nt

er,

16

te

ed

nkk





ANDERSEN FRAME CORPORATION, Bayport, Minnesota	AB
I am interested in the new Andersen Master Weatherstrip and would like to have a demonstration and sample. I understand there is no obligation.	detailed information
PLEASE CHECK: Architect, Builder-Contractor, Jobber-Dealer,	☐ Student
Name	

Good Showmanship Pays

(Continued from Page 53)

associating your name with reliable, fair-priced work.

The builder's office today must carry out his flair for good showmanship,—in fact, it is one of the most effective ways. Move it up on Main Street, where it will be seen. Make it attractive inside and out,—an example of architecture and good building that will make prospects sure of the kind of work you do. Make it a headquarters for building information.

House plan books, magazines, and technical works on construction should be assembled for the use of your customers. Copies of AMERICAN BUILDER AND BUILD-ING AGE and other magazines showing pictures and floor plans should be available to stimulate the interest of visitors. Manufacturers' literature, describing new materials and equipment, should be on display, together with samples of the materials themselves.

Large signs should call attention to the builder's business, as they do to so many less important ones, including hot-dog stands. Electric signs are surely not uncalledfor expenditures when you consider that most any business of any size seems to be able to support them. Window displays that deliver your message effectively are worth the trouble and expense they cause. The miniature model home is very effective.

Banks, investment houses, public service companies, and many other local concerns are often glad to get free window displays. Why not make up an interesting model home display with photographs and floor plans which can be loaned and kept on the move from one part of town to the other?

Your business is of sufficient importance to interest the local luncheon and civic clubs. Take steps to get it before every one in town, through addresses either by members of your organization or by friends who can be supplied with the right information.

A camera should be part of the equipment of every contractor and builder. Take pictures before, during, and after construction and use them wherever possible. Picture displays in public places are of great value. These photographs can also be used in direct-by-mail work and in preparing a portfolio to use in selling. One of the best selling methods you can perform is to get prospects to look through a book of photographs of jobs you have

One stunt that is eye-catching and effective is to have your name boldly printed on the danger pennant hung on the rear of your motor truck.

Good showmanship means getting your name in every widely read advertising medium. The classified section of your telephone directory is one of the best. See that your advertisement is one that dominates the page and delivers an inspiring message.

Another good medium of advertising is the fence and wall of back-street buildings. Signs painted on your own property are inexpensive. It is also good business to make use of billboards and public display places in prominent spots. Street car and bus card advertising is effective-have you tried it?

Wherever large crowds assemble, there the man who knows his showmanship does his stuff. When the circus comes to town, you can get your name before the crowd through distribution of souvenirs, use of sandwich men or a parade float displaying a model home. This is also true at the county fair, agricultural exhibit, or carnival. A booth or display where information is given and booklets or souvenirs handed out pays well in publicity.

Of course, at the home building show, better homes exhibit, or construction congress, you will have displays that will adequately represent your organization.

Postmen, policemen, firemen, delivery boys, the iceman, and public service representatives are good-will factors to be considered. It might be well to make a special attempt to court their approval of your business by some special means, such as donations to the policemen's or firemen's ball, to the postmen's pension fund. These men are very often called upon to recommend a builder; see to it that your name is the one they will

We have left for the last possibly the most effective and most widely used method of keeping your message before the public. It is direct-by-mail advertising, or, in ordinary parlance, just good letter writing. Constant use of the mails to distribute your folders, special selling efforts, or inducements to buy, and information about the quality of your work is indispensable. Prepare small folders which can be distributed in many ways. One that has proved successful is to persuade the local gas or electric company to enclose them with their monthly statements. If you approach them with the argument that they are helping promote home ownership, you are very likely to secure this co-operation.

After all, good showmanship is pretty much a state of mind. You have a good product, a good service to offer; it seems a pity that it should not be told abroad in every way possible. If you are fully convinced of the value of the services you are rendering, you can hardly resist being a good showman, for it is only those who are ashamed of their work who want to carry it on by secret

and devious ways.

Boy Scout Camp Has Combined Water Tank and Lookout

ENTZ CAMP, which is located four miles northeast of Ponca City, Okla., is one of the best equipped boy scout camps in the country. It comprises 160 acres on which barracks have been erected

and improvements made to accommodate a maximum of 1,000 boys.

One of the first things the visitor sees as he approaches the camp is the combined water tank and lookout. The spherical portion is 21 feet in diameter and holds 30,000 gallons of water which is used as a general supply for the camp. The tower or cylindrical portion is seven feet in diameter and 75 feet high. It encloses a circular stairway which extends through the tank to a platform or lookout 10 feet 6 inches in diameter. This observation point, which is 94 feet above the ground, is surrounded by a lattice fence and equipped with a telescope and search lights.



This Lookout Tower Contains a Tank Supplying Water for the Camp

ice-will ce a ness lice-und.

tive age , in ant ling the nall hat

lec-

hat erv

er; ery lue


sist are ret

er

les

It

ed



AXLES FOR HEAVY-DUTY WORK IN THE BUILDING INDUSTRY

From front bumper to rear frame cross-member, Dodge Heavy-Duty Trucks are "all-truck"—expertly-designed and precision-built for gruelling work in the Building Industry.

The rear axle, for instance, is the full-floating type. Weight of truck and load is carried by the housing—shafts are

er solely. Drive is through spiral bevel gear. Pinion gear is straddle-mounted for greater strength and permanent alignment. All gears are of finest nickel alloy steel. There are nine large adjustable roller bearings in all—two at outer end of each shaft. Housing of the banjo type is of electric furnace steel.

See your Dodge Brothers dealer. See Dodge Heavy-

Duty Trucks. Inspect them and compare them. You can buy the type for your needs complete with standard or special body to fit.

THE COMPLETE LINE OF DODGE TRUCKS RANGES IN PAYLOAD CAPACITIES FROM 1,200 TO 11,175 POUNDS—PRICED, CHASSIS F. O. B.

DETROIT, FROM \$435 TO \$2695, INCLUDING 1½-TON CHASSIS AT \$595

DEPENDABLE

DODGEHEAVYTRUCKS

WHEN WRITING ADVERTISERS PLEASE MENTION THE AMERICAN BUILDER AND BUILDING AGE

Building Activities

The Month's News of the Industry

Better Merchandising Is Leading Topic at Dealer Meetings

BETTER merchandising methods, and the financing of new homes were the principal topics of discussion at numerous state and regional conventions of retail lumber dealers, held during the past month.

The Northwestern Retail Lumbermen's Association met at Minneapolis, on January 20-22. The meeting opened with a discussion of the need of installment selling methods in financing home building, including an address by C. A. Gunderson, of the First Bancredit Corporation, of St. Paul, which handles installment paper on homes.

Klein Addresses Dealers

Dr. Julius Klein, assistant Secretary of Commerce, also addressed the meeting, presenting a sane picture of the present business conditions and future prospects. H. H. Westerman, Montgomery, Minn., was elected president, for the coming year.

Hopefulness and determination, rather than optimism, marked the convention of the New Jersey Lumbermen's Association, held on January 22, in Newark. The chief exponent of hopefulness was S. D. Baldwin, of Jersey City, who was re-elected president for a third consecutive term.

The retail lumber dealers of North and South Carolina, whose annual meeting was held in Charlotte, on January 22 and 23, particularly emphasized the need of selling houses as complete units rather than as certain quantities of material. R. G. Henry, Hickory, N. C., was elected president.

The Northeastern Retail Lumbermen's Association, meeting in New York City, on January 20-22, adopted the slogan "Stabilize and Mobilize" as a basis for better business during the coming year. Reduction of increasing costs, and the central supply yard were leading subjects of discussion, as well as the need for a higher type of merchandising. B. W. Dowing, of Locust Valley, N. Y., was elected president.

Stress Merchandising

The merchandising angle stressed through the sessions of the Pennsylvania Lumbermen's Association, in Philadelphia, January 21-23. This included a discussion of the unusually successful, co-operative adComing Events

Mar. 4-5, 1931-South Dakota Retail Lumbermen's Association, Annual, Sioux Falls.

Mar. 6-7, 1931-Utah Lumber Dealers' Association, Annual, Chamber of Commerce, Salt Lake City.

Mar. 16-18, 1931-Concrete Reinforcing Steel Institute, Annual, Edgewater Gulf Hotel, Biloxi, Miss.

Mar. 23, 1931-Louisiana Retail Lumber & Building Material Dealers' Association, Annual, New Orleans.

Mar. 23-25, 1931-Southern Pine Association, Annual, Roosevelt Hotel, New Olreans.

Apr. 11-18, 1931 - Indianapolis Real Estate Board, Home Complete Exposition, Annual, Indianapolis, Ind.

Apr. 13-18, 1931-American Oil Burner Association, Annual, Benjamin Franklin Hotel, Philadelphia.

Apr. 14-16, 1931—Lumbermen's Association of Texas, Annual, Plaza Hotel, San Antonio.

Apr. 18-25, 1931-Fourth Biennial Exposition of Architecture and Allied Arts, Grand Central Palace, New York City.

May 14-15, 1931-Florida Lumber & Millwork Association, Annual, Orlando.

May 26-30, 1931-National Association of Real Estate Boards, Annual, Lord Baltimore Hotel, Baltimore,

Aug. 10-15, 1931-United States Building & Loan League, Annual, Philadelphia, Pa.

vertising campaign which has been carried on by dealers in Shelbyville, Del. Home financing plans also came in for their share of attention. C. C. Rosser, of Nanticoke, Pa., was named president for this year.

Creating new business, financing and the protection of dealer distribution were the leading topics at the annual convention of the Southwestern Lumbermen's Association, held on January 28-30, at Wichita, Kan., at which O. K. Spurrier, Oklahoma City, Okla., was chosen president.

At Detroit, on February 4-6, the Michigan Lumber & Material Dealers Association, discussed a number of important topics especially questions of financing, canvassing, price maintenance, and selling the complete job. N. B. Cove, of Lansing,

was re-elected to another term as president.

Speakers at the annual convention of the Iowa Lumber & Material Dealers Association, held at Des Moines, on February 3-5, stressed the need for creative merchandising and the selling of ideas instead of materials. A. L. Alcorn, of Cedar Rapids, was re-elected president.

How to get business was the predominant theme of the Illinois Lumber and Material Dealers' Association convention, held in Chicago on February 10-12, and creative selling was again stressed. George F. Colton, Rockford, was re-elected president.

For Creative Merchandising

Creative merchandising and the sale of the complete home by the dealer was the outstanding topic at the annual convention of the Wisconsin Retail Lumber Dealers' Association, in Milwaukee on February 17-19. The speakers stressed the need for closer contact with the consumer and the use of modern methods in selling to combat outside competition, The president for the coming year will be S. S. Solie, of Janesville.

To Hold Dealer Session

N announcement from the Southern Pine Association states that one of the sessions at its annual meeting, to be held at New Orleans, March 23-25, will be devoted entirely to lumber retailers, with some well known retailer acting as chairman and calling upon dealers to present their problems for discussion.

Secretaries of regional and state lumber dealer associations have had requests from the Southern Pine organization for special committees to be appointed for reviewing a plan proposed by the Southern Pine Association for its co-operation with retailers in marketing Southern pine. It is expected that much can be accomplished toward getting this plan speedily under

Canadian Building Declines

ACCORDING to the Annual Review of Building Permits, issued by the Department of Trade and Commerce, of Canada, construction as indicated by the value of building permits issued in 61 Canadian cities during 1930, was not as active as in recent The volume was, however, greater than the average for the decade 1920-1929 The permit figure of \$166,379,325 has been exceeded only three times, in 1927, 1928 and 1929. The latter year set a high record of \$234,944,549. The average for the preceding 10-year period was \$156,221,419.

IT STICKS

TO THE BRICK

The unusual plasticity that makes Brixment mortar stick to the brick assures certain structural advantages as well as neat, economical brickwork. It

allows a more thorough bedding of the brick because the mortar spreads out more uniformly, giving an increased area of contact between the surface of the brick and the mortar. This results in a better bond and a wall of higher compression strength. Also the brick can be laid more accurately to the line and shoved joints, when specified, can be more easily obtained.

LOUISVILLE CEMENT COMPANY, Incorporated, LOUISVILLE, KY. Mills: Brixment, N. Y. and Speed, Ind.

A Cement for Masonry and Stucco

n as ntion terial

AGE

1 the and nate-Rappre-

umtion bruwas ton, t.

aler anisin on, 19. for and ing he be

thiat etch er eıg ns

e d

Des

sale







































WHEN WRITING ADVERTISERS PLEASE MENTION THE AMERICAN BUILDER AND BUILDING AGE

CURRENT CONSTRUCTION FIGURES

THE most encouraging news which has been reported in the building industry for some time appears in the F. W. Dodge reports of construction contracts for the first half of February. The daily average was about \$2,500,000 above that of January. While February usually records a gain over January, the average gain is little more than 16 per cent, but the present gain, if maintained throughout the month, will bring an upturn of fully 27 per cent. This is a decidedly hopeful prospect after the disappointing showing of the January contract figures.

Total construction activity for January as estimated by American Builder And Building Age amounted to \$313,-440,050, as compared with \$342,973,812 in December. This was distributed among the various classes of building as follows:

Residential	\$122,501,060
Commercial	31,278,610
Industrial	11,073,590
Educational	21,348,690
Hospitals and Institutions	5,340,500
Public Buildings	5,899,850
Religious and Memorial	1,853,170
Social and Recreational	9,412,370
Public Works and Utilities	104,732,210

\$313,440,050

These figures are based on reported contracts, plus estimates by American Builder and Building Age for unreported work, covering the entire United States.

The New York metropolitan area showed an increase of 18 per cent in residential construction. New York

Exhibit Miniature Models

A N interesting feature of Annual Home Complete Exposition, of

the Indianapolis, Ind., Real Estate

City is generally considered a key to the building trend. Paraphrasing the old political saying, students of building statistics claim that, "As New York goes, so goes the nation," and any increase in building in the New York area is considered an indication of improvement throughout the country. It is also the concensus now that residential construction will take the lead in the 1931 building revival.

With these assumptions in mind, an 18 per cent increase in residential construction in the New York area during January would seem to indicate a turn in the tide, with the prospect that the spring will show a definite improvement in building volume, at least so far as residential construction is concerned.

Added to the evidence of these monthly contract figures, comes a report from Chicago that building permits in that area, during the first six weeks of 1931, show a substantial increase over the same period in 1930. Permits for the first two weeks of February amounted to \$4,478,000, as compared with \$640,000 for the similar period in 1930.

While it is still too early, and the period is too limited, to take these figures as a positive assurance of what the present year will develop, they are the first indication that building in the two largest important metropolitan areas is on the road to normal. They do offer a degree of encouragement to overcome the pessimism that has been an undoubted stumbling block in the path of more rapid progress.

Board, which will be held April 11 to 18, 1931, will be a contest among high school and college students in building miniature, model homes. Prizes will be awarded and the models

Some of the Miniature Model Houses Exhibited at the Indianapolis Home Complete Exposition Last Year.

will be displayed at the exposition.

This contest is a regular feature of the Exposition which was inaugurated to create an educational interest not only for the present but also for the future prospective home owners. It is expected that about 400 to 500 models will be on display grouped in the form of a miniature town. Excellent work has been done in the past by the students entering the contest.

Bethlehem Steel Buys McClintic-Marshall

THE Bethlehem Steel Corporation has purchased the McClintic-Marshall Corporation for a consideration of approximately \$20,000,000. This will

increase the Bethlehem capacity for the production of structural steel beams for bridges and buildings, which has in the past been relatively small, by 70,000 tons a year.

The McClintic - Marshall properties will be operated as a sub-



G. H. Blakeley

sidiary of the Bethlehem company under a similar name. G. H. Blakeley, vice-president of the Bethlehem Steel Corporation, has been made president of the McClintic-Marshall organization and C. D. Marshall, one of the founders of McClintic-Marshall, is expected to be added to the Bethlehem board.

A.G.C. Hold Annual Convention

REPORTS of the annual convention of the Associated General Contractors of America, held at San Francisco, on January 26-30, state that groundwork for the control of the construction volume of the nation, so that it may be relied upon as a reservoir of purchasing power to tide over low points in consumer demand, has been laid by organized general contractors and promises to equal if not exceed the Federal Reserve Banking System in its stabilizing effect.

Takes Over Stewart Line

THE Zeidler Concrete Products Machinery Company, of Waterloo, Iowa, has taken over the line of concrete mixers formerly made by the Stewart Mfg. Co., of Waterloo, and is furnishing repair parts for Stewart machines now in use.

on.

re of rated not for

ners. 500 ed in

xcelpast test.

tion Martion will

r-1e

of

WHEN THE SALE HANGS THE

ALANCE You will find ready and easier sales for the homes to which you add the colorful charm of GLASIRON ROOFING.

> The owner-satisfaction of a GLASIRON roofed home increases with the years. The beauty of GLASIRON is permanently indestructible—its rich effect is never dulled by the ravages of time or weather—the rain and snow keep it everlastingly clean. There is never any maintenance on a GLASIRON roof. It is forever a joy to the proud owner.

> Available in two sizes of the popular shingle design shown in this actual photograph as well as the new Spanish type, with antique, glazed or sanded finishes in every conceivable color, and with duotone effects if desired, GLASIRON has already aided the sale of many homes for builders.

Your request will bring full details and illustrations by return mail.

ASIRON

The WOLVERINE PORCELAIN ENAMELING Company

3326 Scotten

Detroit, Mich.

GLASIRON WALL TILE is another product which is practical, beautiful and easily applied. Although very economical to use, it is the most attractive and lasting wall surface available today. It is easily cleaned and absolutely permanent. Comes in all colors and distinctive pattern effects.

Wolverine Porcelain Enameling Co. 3326 Scotten, Detroit, Mich. Please send literature on GLASIRON Re fing and Wall Tile.

Architect Builder Owngr Dealer

GLASIRON DIVISION

Valuable Territories Open to Progressive Dealers

GLASIRON BE A U T I S AGELESS

WHEN WRITING ADVERTISERS PLEASE MENTION THE AMERICAN BUILDER AND BUILDING AGE

Construction Census Reports 149,798 Contractors


RECORDS of the Census Bureau show that the Construction Section of the Census of Distribution has received 149,798 reports from contractors in the United States. Of this number 34,794, or 23.2 per cent reported construction work during 1929 amounting to \$25,000 and more. The construction figures also show there were 122 contractors reporting per 100,000 population of whom 28 reported construction of \$25,000 and more in value.

All the foregoing figures are based on contractors' reports received up to and including January 15th. Additional reports have been received since that date, since the construction canvass largely conducted by mail has not been completed.

In proportion to its population Connecticut leads all other states with 302.7 contractors reporting per 100,000 population, and California ranks second, with 261 per 100,000 population. New Jersey has 215 contractors reporting per 100,000 population, while the District of Columbia had 171.7 and New York 169 per 100,000 population.

TABLE I.—DISTRIBUTION BY STATES
Number Reporting
Business Amounting to
Total No. \$25,000 & Over Under
of Reports \$\% \text{of} \\$25,000

	Total No.	\$25,000 & Over Und		
	f Reports			\$25,000
	Received	Number		
United States.	.149,798	34,794	23.2	115,004
Alabama	628	192	30.6	436
Arizona	358	105		251
Arkansas	648	125	19.3	523
California	14,811	2,763	18.7	12,048
Colorado	1,490	197	13.2	1,293
Connecticut	4,862	860	17.7	4,002
Delaware	275	88	32.0	187
District of	2.0	00	00.0	
Columbia	836	310	37.1	526
Florida	1,473	253	17.2	1,220
Georgia	683	206	30.2	477
Idaho	325	36	11.1	289
Illinois	9,672	2,904	30.0	6,768
Indiana	3,757	776	20.6	2,981
Iowa	3,198	485	15.2	2.713
Kansas	1,616	325	20.1	1,291
Kentucky	1,659	356	21.4	1,303
Louisiana	830	218	26.3	612
Maine	893	147	16.5	746
Maryland	2,279	441	19.4	1.838
Massachusetts	7,129	1.654	23.2	5,475
Michigan	7,274	1,599	22.0	5,675
Minnesota	2,922	685	23.4	2,237
Mississippi	461	104	22.6	357
Missouri	3.076	854	27.8	2,222
Montana	523	140	26.8	383
Nebraska	1,367	267	19.5	1.100
Nevada	155	23	14.9	132
New Hampshire	758	128	16.9	630
New Jersey	8,697	1,718	19.8	6,979
New Mexico	230	46	20.0	184
New York	21,277	6,160	29.0	15,067
North Carolina	670	300	44.8	370
North Dakota	537	111	20.7	426
Ohio	9,304	2,331	25.0	6,973
Oklahoma	1,189	324	27.2	865
Oregon	1,330	273	20.5	1,057
Pennsylvania	14,292	2,986	20.9	11,306
Rhode Island	1,226	239	19.4	987
South Carolina	413	123	29.8	290
South Dakota	449	82	18.3	367
Tennessee	1,353	404	30.0	949
Texas	3,984	1.098	27.8	2.886
Utah	867	146	16.8	721
Vermont	340	64	18.8	276
Virginia	1,204	329	27.4	875
Washington	1,916	426	22.2	1,490
West Virginia.	982	198	20.2	784
Wisconsin	5,413	1,155	21.4	4,258
Wyoming	217	40	18.4	177
Above figures		all replie		
to and including	January	15, 193	1	ap up
to and merading	January	20, 290	8 1	



An Elevator Alcove in the La Salle-Wacker Bldg., Finished in White Metal and Dark Steel Blue Glass

Use Modern Decoration

N interesting example of modern decoration for buildings, using some of the more recently developed materials, is to be found in the lobby of the new La Salle-Wacker-Building, in Chicago, which was designed by Holabird & Root and Rebori & Wentworth, Architects.

The walls of the lobby are built up of alternate panels of polished Allegheny metal and dark, steel blue glass which contracts in a most striking manner with the white metal. The base, cornice and ceiling in the elevator alcoves are of the same metal. The alternating metal and glass panels are 16 inches wide and 14 feet high. Doors, display windows and frames of doors leading to the stores are also

of Allegheny metal. Fluted panels of Monel metal, in low relief, appear above the doors and at the sides of the elevator alcoves. The elevator doors are single polished sheets of white metal.

Indirect lighting for the main lobby is furnished by a polished metal trough extending around the ceiling. The cost of the metal and glass walls is described as slightly less than that of marble and the architects were influenced in their choice of the newer materials by the possibility of keeping a highly polished finish at a low maintenance cost.


Laboratory Established

THE Kerner Incinerator Co. of Milwaukee, Wis., has recently established a research laboratory under the supervision of H. Erskine Nicol, an engineer of wide experience in this field. The purpose of the new laboratory is to maintain the continuous development of the science of incineration. Architects, builders and engineers are invited to submit their problems to the laboratory.

Exhibit Model House

Miniature, model house, complete in every detail, has been constructed by the Copper & Brass Research Association, for the Bureau of Standards, and is on exhibit in Washington, D. C. It was prepared for the purpose of demonstrating modern architecture and is a faithful reproduction of an actual house.

The model is of frame construction with a stone chimney. A copper roof and spouting were used and also brass pipe plumbing and bronze screens.



This Miniature Model House Is Complete in Every Detail, Even to Electric Lights

For higher priced residential, farm and industrial

buildings. 6 weights, 6 prices, 8 artistic colors, 2 color blends. A wide choice providing multiple thicknesses of roof protection. Fire-resistant.

ippear les of

evator ts of

rough

cost s deat of influewer eping nain-

Mil-

the

this

deeraeers s to


lete on-Re-

shfor

1C-

on

RU-BER-OID ROOFS...
attractive, long-lived but Low-Priced





RU-BER-OID Roofs are recognized the world over as the most inexpensive type of roofing having beauty, long life and fire-resisting qualities. They are obtainable in a wide variety of types, styles, weights and colors to fit every building and every pocketbook. • • • For re-roofing, RU-BER-OID Shingles offer a further economy. They may be applied over the old wood shingles. This saves labor, provides double insulation and a corresponding saving in fuel costs. • • • Hundreds of thousands of buildings of all types have been roofed with RU-BER-OID Shingles and Roofings during the past 40 years. Many of these roofs have been in service 20 to 30 years and are still in good condition. • • • RU-BER-OID dealers are carefully chosen. Many have continually handled RU-BER-OID for over 25 years. A recent poll of RU-BER-OID dealers shows that 49 per cent are officers or directors of banks or trust companies, 45 per cent are officers of building loan associations, and 83 per cent are active in their local civic organizations.

Wide range of prices. 6 colors of permanent beauty, 4 color blends, 3 methods of applications Hexagonal, Horizontal and American. Fireproof.



Sales Divisions: RUBEROID MILLS—CONTINENTAL ROOFING MILLS
SAFEPACK MILLS—H. F. WATSON MILLS—ETERNIT









For all flat roof construction. 3 types: Asbestos, Asphalt, Coal Tar Pitch and Felt. Flexible speciications, priced according to number of layers of protection. Bonded guarantees if desired.

IT IS REPORTED THAT-

In Ohio, one person out of every three—including men, women and children—is a member of a building and lcan association.

The Laboratories of the Bureau of Standards, in Washington, D. C., completed 200,726 tests during the fiscal year ended June 30, 1930.

The 48 States and Hawaii, with the aid of federal funds, completed improvements on 9,349 miles of federal-aid highways during 1930, bringing the federal-aid system, at the close of the year, to a total of 193,049 miles.

The National Association of Building Owners and Managers has secured data showing that the average life of office buildings in large cities is not over 25 years.

All-metal, factory-made houses have found favor in Germany and a patent has been granted to the manufacturers by the United States government.

Building construction took first place in 1930 as a consumer of steel, passing ahead of the automobile industry which was first in 1929.

Despite the economic depression, more than 2,000 new businesses were opened in Chicago during the first six months of 1930, an increase of almost 10 per cent over the number started during the same period of 1922.

Federal funds amounting to \$235,-383,877 are available for road projects, \$80,000,000 of this being an emergency appropriation to increase employment.

Construction Census Bill Introduced

STABLISHMENT, on a permanent basis, of the construction service in the United States Census Bureau is provided for in a bill proposed in the Senate by Senator Hiram Johnson of California. The proposed bill says:

"Be it enacted . . . that the Secretary of Commerce, shall through the Bureau of Census, continue the collection, compilation, tabulation, interpretation, publication and dissemination of statistical data, and other information pertaining to the construction industry, including an annual census."

If this measure is passed, it will establish as a permanent, annual activity of the Census Bureau the construction census which was, for the first time, undertaken during the past year.

Launch Floor Organization

NEW organization, with trade promotion as its immediate objective, was recently formed when more than half the total oak flooring producers of the United States organized the Southern Oak Flooring Industries, with headquarters since astablished in Little Rock, Ark. Besides trade promotion, activities research, trademarking, standardization of sizes and grades, statistics and supervision of traffic matters will be undertaken.

The trade promotion and advertising program will be directed by Robert H. Brooks Co., of Little Rock, which has specialized in advertising campaigns for lumber interests. Ralph E. Hill, formerly manager of the Long-Bell Sales Corporation, has been made secretary-manager of the new organi-

zation. Mr. Hill says:

"Our activities, in a measure, will parallel the Oak Flooring Manufacturers' Association. It should be noted, however, that members of the Southern Oak Flooring Industries are also members of the Oak Flooring Manufacturers' Association. It is not thought at this time that the setting up of the new group will make any other change in the old association than the restricting of its activities along the line of publicity and trade promotion."

Builders Exchanges Meet

THE National Association of Builders Exchanges held its annual convention at San Antonio, Tex., on February 17. The leading speakers were Alanson D. Morehouse, chief construction section, U. S. Bureau of the Census, and Edwin W. Ely, chief of the division of simplified practice of National Bureau of Standards. The latter talked on the reduction of costs in the manufacture, distribution and dealer handling through simplified practice. It was suggested that Mr. Ely appoint a simplified practice committee to maintain contact with the bureau, according to an announcement made by Earl F. Stokes, of Washington, D. C., secretary of the associa-

Charles F. Abbott Honored

HARLES F. ABBOTT, Executive Director of the American Institute of Steel Construction, has been elected vice-president of the National Council of Traveling Salesmen's Associations, in recognition of his efforts to organize and improve the sales training among the representatives of the steel construction industry.

Acquire Woodworking Line

THE American Floor Surfacing Machine Co., of Toledo, Ohio, has acquired an exclusive license for the manufacture and sale of the Electric Carpenter Machine and the Greyhound Slide Saw, and all other machines that have been manufactured and sold by the Woodworking Machinery Company, Inc., Norristown, Pa.

These machines were designed and developed by Gilbert L. Dannehower, president of the Woodworking Machinery Co., who is well known throughout the woodworking machinery industry and is a graduate mechanical engineer of LaFayette College, Easton, Pa. In 1919 Mr. Dannehower organized the Hutchinson Manufacturing Company, at Norristown. In 1927 he sold his interests in that company and organized the Woodworking Machinery Co. In 1928 he placed on the market the Electric Carpenter machine and the Greyhound Slide saw.

Mr. Dannehower and the personnel of the Woodworking Machinery Company will be actively identified with the American Floor Surfacing Machine Co. in promoting the manufacture and sale of its complete line of machines.

The American Floor Surfacing Machine Co. is a well established, national organization with twenty sales offices located in important cities throughout the country. It now manufactures a complete line of floor surfacing machines.

Require \$5,000 License Fee

N November 5, 1930, the Chicago City Council passed, by unanimous vote, an ordinance amending the code applying to contractors doing sidewalk work which reads as follows:

"Said applicant shall also deposit with the City Comptroller the sum of five thousand dollars cash, said sum to be retained by said Comptroller for a period of four years after such applicant shall cease doing business, as a deposit on account to be used in rebuilding or replacing of defective walks, laid by such applicant, in event of failure to rebuild or replace such walks after written notice as hereinafter provided for."

This ordinance, which is now effective, requires, in effect, a \$5,000 license fee from contractors doing sidewalk work. The Monthly Bulletin of the Building Construction Employers' Association is asking of Chicago contractors, what they are going to do about it.

_ine Ma s acthe

irevmaured Maown.

and

ectric

wer. Maown mauate ette Mr. hinat in-

the the inel amvith Maac-

gan-Co.

Janales ies ow or

of

e go nihe ng

of to lia e-

k

sit

of cs

)-

AGE

The American Method

of Floor Finishing

If you are a building contractor waiting

for something to turn up-if you are a car-

penter worrying about your job, a keeper, laborer, or what not, without a definite knowledge of just what's ahead of you—here is an opportunity for you to eliminate

the uncertainty and get into a tried and

The "American Floor Finishing Method" gives you the big chance you have for years been waiting for. Here is something

that puts you into something for yourself-

to make big profits to be your own boss

to quit worrying about your job—and enables you to get somewhere in the world.

Opens Up a Tremendous

Field

In addition to smoothing up and sanding

newly laid floors and the resurfacing of old

floors—the new American Method enables you to wax, polish and finish complete any old or newly laid floor. Just think of the hundreds of old worn floors in your town

that need resurfacing. Most every floor will stand a waxing and polishing job be-

proven successful business.

HERE'S YOUR CHANCE

To make some real money

cause everyone hates to polish floors by a weighted brush. Consequently they let them go until about the only way to ever get them in shape is through mechanical means—the American electrical floor finishing method. Plenty of Work

All floors in new homes and all kinds of buildings have to be surfaced - An electrically driven American sanding machine does this. After the floors are surfaced an American electrical floor maintenance machine waxes and polishes them, giving you two profits on every job. Then with the old floors needing resurfacing and refinishing and all of the waxing and polishing jobs you get you can see that there is no end to the work.

Work Easy to Get

A complete set of business getting adver-tising material consisting of beautifully col-ored mailing cards and folders to hand out to prospective customers, business cards, etc., all printed with your name and address makes it easy for you to get plenty of work — This is a tried and proven plan that's bound to get the work.

Keeps the Money Rolling in the Year 'Round

Floor finishing is nice, easy and pleasant inside work out of the weather and cold. The "American Method" profits are big. There are scores of jobs right now all around you. Office buildings, stores, schools, colleges, clubs, hospitals, churches, apartments, dance halls, roller rinks, bowling alleys, auditoriums, banks, hotels, and hundreds of residences all have floors that are being worn day in and day out by being constantly walked upon, which gives you more work than you could do once you get into the American Method business.

> Right Now Is the Time to Start

Spring house cleaning time will soon be here—That opens up a tremendous amount of resurfacing as well as waxing and polishing. By starting right now it will give you enough time to pass out your advertising matter and get established by the time the big rush opens up.

No Experience Required

American machines are so simple in their construction, so easy to operate, and our instructions so thorough that the most inexperienced can get onto the hang of it within 30 minutes after he gets his hands on the machine — And within a day or so he is going right along like an old timer. Simply connect the cord to the electrical connection, turn on the switch, guide the machine like you would a vacuum cleaner, and that's all there is to it. Let us show you pictures of boys from 14 years of age to men 74 years old running these machines.

We Will Back You

If you're honest and not afraid to put on a pair of overalls, you won't need much money to get started. We will back you, money to get started. We will back you, work with you, and give you plenty of time to pay for the equipment. We've helped hundreds get started, seen them succeed, and there's no reason why anyone not afraid of work can't make the American Method of floor finishing a big success in their community. their community.

Made in Two Sizes

You can start with the small machinethe American Handy Sander shown at lower right hand side of page—or the American High Production machine shown in picture at top of page. Both are money makers. The American machine that does the waxing and polishing is shown on lower left hand corner of page.

Hundreds Are Doing It So Can You-

Cunningham of Detroit has a whole fleet of these machines—Jimison of West Virginia-Parsons of Kansas-and hundreds of others are making a big thing out of the American floor finishing method. Let us tell you how they are doing it and you'll see then that there is no reason on earth why you can't do the same.

Get Full Particulars Now

Don't kid yourself along on that day job uncertainty or skinny building contracting work any longer, but take the interest at least to investigate the new "American Method" of floor finishing.

Mail in the coupon and get the facts.

	FFER Business Cards, Business Getting Folders, Post Cards, FREE Estimate Blanks—All printed with your own name. FREE American Floor Surfacing Machine Company— 511 South St. Clair Street, Toledo, Ohio	
American	American Floor Surfacing Machine Co. 511 S. St. Clair St., Toledo, Ohio. Gentlemen:—Send me without obligation your complete	
Waxing and Polishing		erican
Machine		nder

The Builder's Library

Miscellaneous Publications

"How to Judge a House"

This is the latest booklet of the National Committee on Wood Utilization. It was prepared for the purpose of stimulating home building, and to present reliable information of such a character that the purchaser of a home might select it with a full understanding of the important points in design, plan, construction, and mechanical installations. Sold by the Superintendent of Documents, Washington, D. C. Price 10 cents each, \$7.00 a hundred, and \$50.00 a thousand copies.

"Better Gardening"

This booklet on "what, when and how to plant," has been published by the Union Fork and Hoe Co., Columbus. Ohio. It is full of information useful to the home owner.

"Engineering Achievements-1930"

A new booklet issued by the Westinghouse Electric & Manufacturing Co., East Pittsburgh, Pa., under this title, outlines the company's developments during the past year.

Construction Materials

Spring Hinges

Two new catalogs are offered by the Shelby Spring Hinge Co., Shelby, Ohio. Catalog No. 30 covers Shelby double and single acting checking floor hinges; catalog No. 31 is a complete catalog covering all the company's products, including hinges, screen window hangers, window hardware, and builders' hardware specialties.

Portland Cement

Information on "Incor - A High-Early-Strength Portland Cement" has been issued by the International Cement Corp., 342 Madison Ave., New York City, in the form of two illustrated folders.

Metal Lath

Two new folders are offered by the Micor Steel Co., Milwaukee, Wis. One announces a new metal lath called Kuehn's Specialmesh, while the other contains further information on this product.

Wrought Iron

Under the title "An Important Contribution to Metallurgy," the A. M. Byers Company, Clark Bldg., Pittsburgh, Pa., has published an interesting booklet describing its new method of manufacturing wrought iron, on a large scale, under the Aston patents.

Aluminum Truck Bodies

"Alcoa Aluminum for Truck Bodies" is the title of a very complete and handsome booklet published by the

Check These Items Every Month and Write for Those You Need to Keep Your Files Up to Date. Any Item Listed Will Be Sent Free on Request Except Where a Price Is Noted. The American Builder & Building Age Should Be Mentioned When Writing for These Publications.

Aluminum Company of America, 2420 Oliver Bldg., Pittsburgh, Pa., presenting the advantages of aluminum truck

Fireproof Insulation

A recent circular prepared by the Thermax Corporation, 1411 Fourth Ave., Seattle, Wash., presents the four characteristics of this new material, insulation, fireproofing, structural strength, and sound insulation.

The Nailock System

A new booklet issued by the Wheeling Corrugating Company, Wheeling, W. Va., presents the complete story of this system of construction for nonbearing partitions, suspended and attached ceilings.

Pipe Caulking Compound

"Hydro-Tite for Jointing Bell and Spigot Water Pipe Mains" is a new booklet which has been published by Hydraulic Development Corporation, 50 Church St., New York City, giving complete information about, and specifications for using, its self-caulking joint compound.

"Westfelt Handbook of Acoustics"

This is the title of a handbook which has been prepared by the Acoustical Division of the Western Felt Works. 4029-4133 Ogden Ave., Chicago, and published in booklet form. It contains much valuable technical information on the acoustical treatment of buildings.

Equipment for Buildings

Lighting Plants

The Westinghouse Electric & Manufacturing Company's complete line of electric service plants is described and illustrated in a new folder, MK-1284, published by this company's Technical Press Service, East Pittsburgh, Pa.

Drinking Fountains

New sanitary drinking fountains, made by the Crane Company, 836 S. Michigan Ave., Chicago, are announced in this company's circular No. 619-C, which contains illustrations and complete information.

Door Hardware
Two new 1930 catalogs have been issued by the Allith-Prouty Company, Danville, Ill. Catalog No. 99 is devoted to Allith Airport Door Hard-

ware, and Catalog No. 88 covers fire door hardware.

Heat Regulator
"A Seven League Step in the Science of Heating" is the title of a new booklet offered by the Hoffman Specialty Co., Inc., 25 W. 45th St., New York City, covering the new Hoffman Thermador for heating control.

Steel Lockers

"Solving Gymnasium Storage Problems" is a new booklet published by the Durabilt Steel Locker Co., Aurora, Ill., which contains much useful information on this subject.

Garage Doors

A new upward acting garage door has just been placed on the market by the American Sash & Door Co., Kansas City, Mo., and is fully described and illustrated in a circular which this company is offering.

"Lighting for Seeing"

This is the title of a new booklet offered by the General Electric Company, Nela Park Engineering Department, Cleveland, Ohio. It contains much valuable information on the science of lighting, developed by the company's lighting research laboratory.

Refrigerators

Refrigerators for hotels, restaurants, hospitals, clubs and other similar establishments are fully covered in a new catalog No. L30, published by The Lorrilard Refrigerator Company, Kingston, N. Y.

Offered by Book Publishers

"Designing Heating and Ventilating Systems"

This book, by Charles A. Fuller, consulting engineer, is described as "a practical treastise on the design of heating and ventilating equipment for buildings of all kinds based upon the engineering rules and formulae in everyday use. Adapted for use as a text in colleges and schools and as a reference book for engineers and architects." The third, revised and enlarged edition has just been published by the Scientific Book Corporation, 15 E. 26th St., New York City. Price \$3.00.

"Estimating Building Costs"

Because of changes in the handling of building construction since the first edition of this book, by Charles F. Dingman, architectural engineer, was published, a revised second edition has now been brought out by the McGraw-Hill Book Company, Inc., 370 Seventh Ave., New York City. This is a valuable handbook on estimating, of convenient size for practical use. Price

fire

ockalty ork

ier-

ob-

by ora,

or-

or

by ined

nis

et n-

is ie THERMAX

the FIREPROOFING INSULATION...

THIS CHART IS FOR 2" OR 3" THERMAX

TRANSVERSE STRENGTH
IS THE SAME
FOR EACH THICKNESS

SPAN IN INCHES

Result of tests conducted by Prof. F. A. Osborn, University of Washington



Greater Structural


STRENGTH

No other insulation board has the structural strength of Thermax. Load carrying capacities for roof and floor construction show 180 to 200 pounds per square foot for 2 inch and 3 inch Thermax laid on supports 32 inch on centers. A glance at the chart above illustrates how Thermax may be used over wide spans thus eliminating heavy, expensive construction and maintaining a generous factor of safety.

Thermax has over 15 times the insulating value of concrete per inch of thickness. It provides more insulation per dollar of cost than any other board or precast slab and solves the prob-

lem of roof condensation. Thermax is a scientific combination of rock and wood resulting in the only fire-proofing board that has real insulation value and high sound-proofing qualities.

It is available in three thicknesses. Standard dimensions for 1 and 2 inch Thermax are 20 inches wide by 64 inches long. 3 inch Thermax comes 20 inches wide by 48 inches long... Special lengths will be furnished when specified in quantity. Write for copies of Thermax tests and descriptive literature which explain the many uses for this modern insulating lumber... Address...



THERMAX CORPORATION

1411 FOURTH AVENUE

*

SEATTLE, WASHINGTON

These Are New

Effective Sound Insulation

THE illustration shows an installation of sound control insulation which solved a serious problem at the Ozaukee Country Club, near Milwaukee, Wis. The men's grill at the club was extremely noisy. Conversation, naturally enthusiastic after playing golf,

echoed and re-echoed from the vaulted ceiling and created

a disturbing din:

It was finally suggested that a well known type of fiber board insulation be applied to the ceiling and when the suggestion was put into effect the problem was solved. The president of the club now states, "Our men's grill is at last mentally comfortable and quiet. The reverberations have disappeared and conversation may be carried on without undue strain. Not only were the objectionable conditions entirely removed, but the appearance of the room was greatly improved."




Fiber Insulating Board Applied to the Ceiling Solved the Noise Problem in This Grill Room.

The insulating board was installed exposed, and panelled. In this form it was most effective and the natural texture of the material with the panelling was highly attractive as decoration. The use of insulating board suggests an enlarged field for jobs for the contractor. Many stores and offices where noise is a disturbing factor could be sold on similar sound control.

Cast Iron Basement Window

A CAST iron basement window, the window and frame each being cast as a one piece unit, even to the hinges, and thus eliminating all possibility of loose joints developing, has recently been placed on the market. In designing this



Window and Frame Are Each Cast as a One Piece Unit Even to the Hinges.

For Further Information in Regard to Any Product Described in This Department, Write to the American Builder and Building Age, Information Exchange, 105 W. Adams St., Chicago.

window a drip was constructed on all four sides of the sash and frame which gives it a two point contact and makes it suitable for use in any position.

The hinges operate freely when located at the top, bottom or side, eliminating the necessity of designing a different construction for each loca-


tion and type of operation. Cast iron for windows subjected to strain and rough usage is a practical indestructible material, according to the manufacturers. It will not rust and has the added advantage that it will not warp or shrink and lose its alignment.

Improved Industrial Sash

An improved type of industrial window sash, with a felt weatherstrip on all four sides of the ventilator, has

recently been placed on the market. According to the maufacturer, a well known company in this field, this weatherstripping makes the new sash absolutely weathertight, eliminating the leakage of wind, rain and snow which increases the cost of heating where industrial sash are used.

The felt weatherstripping is built into the new sash at the factory, as this is the only way in which it can be properly adjusted, and permanently held in place, it is stated. The illustration shows the details of how the felt is applied. It is held in a metal container that is spot welded to the sash or frame, as the case may be, with the felt forming the inside weathering contact. The felt is placed on the inside to allow any condensation that may form to pass through the outside contact of metal to metal.



Applied to Industrial Sash.

Automatic Band Saw Set

A NEW automatic hammer, band saw set, which the manufacturers claim is the only machine of its kind,

has recently been placed on the market. This machine sets both sides of the saw at the same time, with a hammer stroke on an anvil, making all teeth perfectly even. The hammer stroke is adjustable so that any amount of set may be secured.

This machine is much faster than pre-

Here Is a Greatly Improved Band Saw Set.

vious hammer sets, it is stated, setting 150 teeth per minute.

n all hich and posi-

10-

side, ning oca-


cted atehas


ose

felt



rgamize Chain of K Plants rst Plant Installed





A GROUP of some of the leading men in the building and financial fields in Ontario headed by Arthur F. Echberg were the first to grasp such an outstanding opportunity as the manufacture of DUNBRIK. Mr. Echberg, in his letter reproduced here, expresses himself, in terms to which little could be added to emphasize the merit of this revolutionary development in bright manufacture. in brick manufacture.

Mr. Echberg's engineering knowledge and international activities in the building field, reinforced with an exhaustive investigation by his associates, convinced them that DUNBRIK line-production machines would enable them to dominate the brick market.

Investigate While Your Territory is Open

Examine this light-weight, recessed unit,-see the DUNBRIK machine turn out perfect brick, uninterruptedly, in a triple stream at the rate of 51 per minute,—then it will be easy for you to understand why all precedents in production speed and low-cost of manufacture have been effectually revolutionized.

An Exclusive Business

Visualize the stupendous market for brick, the most stable building unit of all time,—with plants in actual operation now producing DUNBRIK for less than \$7.00 per thousand,-your ability to supply this market with common, tinted, or face brick, and,—a territory all to yourself, protected by a manufacturing franchise.

Pay as You Produce

You can install the DUNBRIK machine on a pay-as-you-produce basis. A very modest investment starts you, and the balance as you produce. The TOTAL represents only a fraction of what would be required to start any other business of equal volume and profit. Learn what such an enterprise offers before your territory is closed. Write, and get all the facts today.

Eight Super Advantages

- The most revolutionary development in brick-making Super-production Speed-51 brick per minute
- Recessed for lighter weight, stronger bond, greater permanency 25% more brick to a barrel of cement and yard of aggregate
- Supplies complete market,-common, tinted, faced
- Accuracy unparalleled,-true, sharp corners
- Superior quality-proven by tests
- A trade-marked unit, backed by a national organization.

The reservation coupon brings you complete data and gives you first consideration. Act today

arin	ng franchise. facts today.	
N2 1	RESERVATION CO	OUPON
	W. E. DUNN MFG, CO. 450 West 23rd St., Holland, Mich.	A
İ	I want to weigh the possibilities for a DUNBRIK low-production-cost plant in this territory. Please send full details covering the establishment of this new industry for my city on your special pay-as-you-produce plan.	
	Name	
	Address	
	City	3-31

Address.....
City..... WHEN WRITING ADVERTISERS PLEASE MENTION THE AMERICAN BUILDER AND BUILDING AGE

Table Router and Shaper

A NEW combination router and shaper has recently been announced. The motor used on this new model is a new,



An Improved Combination Router and Shaper.

more powerful, high speed unit, with a rating of one h.p. It can also be used in connection with other machines made by this company.


When the new combination machine is used as a shaper, the motor is placed on the motor holder under the table. The motor can be tilted to an angle of 45 degrees, which allows a great range with small diameter cutters. The top arm may be raised or removed should it interfere with large shaper work.

As a router, the motor is moved from the lower motor holder and placed in the top holder. In this holder, which is supported by the arm, the motor can be raised or lowered by means of a foot treadle to any depth that can be predetermined by three depth stops. A further adjustment of the motor permits its tilting through an arc of

180 degrees. Accurate adjustments of depth of cut are made by turning a threaded ring along the threaded motor casing. A further turn raises or lowers the motor ½ inch.

Brick and Tile Cutting

ONSTANT demand for equipment for cutting brick and tile has lead to the production of a special unit for this



Designed to Meet a Demand for Brick Cutting Equipment.

work by one of the producers of high speed cutting equipment. The principle of direct drive power is applied in the new machine, which employs a completely enclosed 4 or 8 h.p. motor, protected from dust and water. With the proper application of cutting blades this machine is adapted to cutting all kinds of brick, tile, terra cotta, cinder blocks, plaster boards and artificial or cast stones.

The materials may be either cut through or merely scored. The use of water on the wheel assures greatest efficiency and longest wear and, where water

is not available, a tank with an automatic pump is provided. There is an easy adjustment of the angle of cut and a special clamping device on the table tank holds the material at the correct angle. The machine cuts 16 inches, or 24 inches

if desired, in straight cutting, and special long arm models are available for cutting 6, 8, 10, and 12 feet.

New Heavy Duty Truck

NEW type of truck, introducing the multi-motor principle, as a means of developing greater power and hauling capacity, has recently been announced. This new truck is a dual-engine, six-wheel, heavy duty model. It is so powerful that double loads in excavation or building construction jobs are possible. It handles four to six yards of wet mixed concrete, or 5,000 to 10,000 bricks or tile in a single load.

The new truck is equipped with two, straight eight cylinder, truck type engines, with a combined power of 275 brake horse power at 2,800 r.p.m. The power is applied to the drive in a radically new way. Each engine delivers power to a separate rear axle.

The engines may be used in combination or one at a time, as each engine has its own transmission. An air mechanism shifts the twin transmissions in perfectly synchronized time. One lever will shift both gears when both engines are in use, making this feature "fool proof."



This New Truck Is a Giant Not Only in Appearance But Also in Power and Capacity.

New Invisible Latch

A invisible latch has been brought out which is described as a neat, compact device that gives quick, lively action,

and is so designed that it may be fitted to all types of secret doors and panels. An adjusting screw back of the pusher or plunger can be regulated according to the weight of the panel or door.

Wall space not previously used can be made to provide additional closet or compartment space, without showing any hardware or marring the appearance of the panel, by means of this latch.

This latch will operate in any position, left or right hand, top or bottom. It is made of cast brass and a template is supplied with each device to assure ac-



This New Invisible Latch Permits Wall Compartments with No Hardware Showing.

curate installation. It is absolutely jam-proof, and has only two moving parts. It is not affected by shrinkage or swelling of doors or panels so long as the door can be opened and shut. To operate, a light push locks it and a slightly harder push releases the latch.

SE els

innd is is onof a

ke ve a ie,

m ie. in

d ı,